



AESCU LAP[®] STERILE CONTAINER SYSTEM

GENERAL CATALOG

OFTEN IMITATED. NEVER EQUALED THE AESCULAP ORIGINAL



Always better. From the beginning.

In 1971, Aesculap revolutionized the packaging and supply of sterile instruments with the world's first sterile container. From then up to the present day, the Aesculap original has become the universal solution and Aesculap is the global sterile container market leader.



AESCULAP® STERILE CONTAINER SYSTEM

LEADING GLOBAL SUPPLIER FOR DECADES

Aesculap, a leading manufacturer of sterile containers for over 45 years.



With the development and launch of the first real sterile container in 1971, Aesculap delivered a world first. Their innovative technology and their ease of handling have made AESCULAP® sterile containers a permanent fixture in hospitals worldwide. The use of AESCULAP® sterile containers means that the entire process can be standardized, controlled and documented: from storage to transport, through to the aseptic presentation of the sterile instruments in the operating room. Even at the disposal stage, the AESCULAP® sterile container system reliably protects users in clinics from contamination.

The AESCULAP® sterile container system provides customers with an extensive and clinically proven product portfolio for sterile packaging.

Various sterile container models and sizes, as well as an extensive range of accessories, comprising different basket models, together with the proven Aesculap InOS® organization system enable reliable protection for almost all surgical instrument sets.





The right instruments
at the right time
in sterile, functional condition
at the right place of use
at a high level of profitability
in a reliable packaging system



AESCULAP® STERILE CONTAINER SYSTEM

LEADING GLOBAL SUPPLIER FOR DECADES



Perforated soft packaging can have serious consequences...



... Focus more on stability with the AESCULAP® Sterile Container System.

AESCULAP® STERILE CONTAINER SYSTEM

QUALITY WITHOUT COMPROMISE - MADE IN GERMANY

Innovation Factory in Tuttlingen – Innovation meets tradition

The AESCULAP® sterile container system has been manufactured at the Tuttlingen/Germany site for more than 45 years. All the components of an AESCULAP® sterile container comply with the national and international requirements and standards (e.g. DIN EN ISO 11607-1). The solid, robust design and the manufacturing technology used by Aesculap enable the sterile containers, instrument baskets and all the other components to be manufactured with very precise dimensions and a high level of stability.





With a modern industrial architecture, at the Innovation Factory, which was opened in June 2015, Aesculap acts on the B. Braun corporate values: be innovative, increase efficiency and live sustainably. The goal is an intelligent factory. This is characterized by adaptability, efficient use of resources and ergonomic design.

Think about tomorrow today!

The Innovation Factory meets the criteria for the German Sustainable Building Council (DGNB) silver certificate. Among other things, the factory has a fully automated

container production line with 10 processing stations, which are linked with seven robots, as well as a fully automated raw materials warehouse with approx. 600 storage areas.

The spacious premises with the latest equipment has space for around 500 employees. Production, development and product management are spatially linked to one another. This ensures a quick and constant exchange between all departments – the basis for a future-oriented finding and implementation of solutions.

AESCULAP® STERILE CONTAINER SYSTEM

QUALITY WITHOUT COMPROMISE - MADE IN GERMANY

AESCULAP® sterile containers are tested based on the latest national and international standards.



EN ISO 11607-1
EN 868-8



Aesculap Technical Service



The AESCULAP® sterile containers protect sterile items against external influences and keep them sterile for when they are used. If they are damaged in any way (e.g. through deformation or wear), they can usually be repaired.

Original AESCULAP® container spare parts are compatible with all generations so the sterile containers will always be upgraded to the latest status quo by a repair. As a result, every repair by the Aesculap Technical Service helps retain the value of your sterile container stock.

Don't use damaged sterile containers! Please check your AESCULAP® sterile container before each use. Precise instructions can be found in the Aesculap instructions for use and on the Aesculap functional testing posters (please ask us about them if needed).

AESCULAP® STERILE CONTAINER SYSTEM

ONE SYSTEM, THREE OPTIONS – *PRIMELine*® PRO, BASIS, VARIO

High flexibility: As the bottoms are identical, you can choose between three different systems. Using existing AESCULAP® container bottoms helps reduce purchasing costs.



The extensive and well-proven Aesculap product portfolio for sterile instrument packaging offers a range of packaging solutions for all hospital instrument sets used in practice. Sterile containers in various models and sizes and the comprehensive range of accessories make the Sterile Container System a universal solution for the sterile supply of surgical instruments.

■ *PRIMELine*® PRO



■ BASIS



■ VARIO




■ PRIMELine® PRO

The PRIMELine® PRO aluminum container lid is equipped with Aesculap's proven permanent germ barrier system. This system consists of a cartridge with a well-protected, integrated PTFE (polytetrafluoroethylene) filter. This germ barrier has been validated for 5,000 sterilization cycles according to EN 868-8 (2009), Annex H and therefore commonly provides lifelong function (in everyday hospital use).

As a result, typically, no filter changes are necessary, thereby saving time and process costs. A cleaning validation has been carried out for the PRIMELine® Pro lid in an automated procedure. A positive cleaning result, suitable for everyday use in the hospital, was achieved.

The cleaning result fully complied with the acceptance criteria.



- Stable, robust aluminum lid
- Typically no filter change - saves time and process costs
- Cleaning validation fully complies with the acceptance criteria
- Simple handling
- Available in 5 colors (red, blue, green, gold and silver)
- Compatible with all container bottoms (1/1, 1/2, 3/4) manufactured since 1988

AESCULAP® STERILE CONTAINER SYSTEM

ONE SYSTEM, THREE OPTIONS – PRIMELine® PRO, BASIS, VARIO

■ BASIS

The basic model made of aluminum for use with AEscuLAP® single-use sterile filters or with AEscuLAP® PTFE reusable filters for 1,000 sterilizations.

The Basis version can be fitted with a protective lid, if desired. However, the sterile container is still fully functional without a protective lid. The two lids can only be separated when the sterile container is opened for better cleaning. There is a push-button on the inside of the lid for this purpose.



■ VARIO

The Vario model is also for use with AESCULAP® single-use filters or reusable filters for 1,000 sterilization cycles and provides additional cover of the perforation field. Therefore, it is particularly suitable for transport over longer distances or externally. The Vario outer lid can be removed without opening the sterile barrier. This is particularly useful for

storage over extended periods (high dust load) before the sterile container is brought to the OR. As the Vario and Basis system lids have different locking mechanisms, they have different article numbers.



Both lids can be removed as a unit...



... or separately. This means the protective lid, which may be contaminated with dust particles, can be left outside the operating room. The sterile container remains sealed and its contents sterile.

AESCLAP® STERILE CONTAINER SYSTEM

AESCLAP® STERILE FILTERS

Different filters for different requirements



Aesculap PTFE (polytetrafluoroethylene) permanent germ barrier system validated for 5,000 sterilization cycles according to EN 868-8, Annex H for lifelong function (in everyday hospital use). As a result, typically, no filter changes are necessary, saving time and process costs. For steam sterilization in a validated fractionated vacuum process according to EN ISO17665-1. Integrated into the PRIMELine® PRO sterile container lid.

AESCLAP® paper filter for single use. The filters for steam sterilization have an indicator according to EN ISO 11140-1 Type 1. Therefore, used and unused filters can be clearly differentiated visually. For use in Basis or Vario sterile container lids.



AESCLAP® reusable PTFE (polytetrafluoroethylene) filters for 1,000 sterilization cycles (for steam sterilization in a fractionated vacuum process validated according to EN ISO17665-1). For use in Basis or Vario sterile container lids.



Paper filters and reusable filters are held firmly in the lid by the AESCULAP® filter retention plate (Basis and Vario). This has a durable silicone gasket and ensures that the filter is securely fitted. The retention plate has a safety lock (two release buttons) to prevent an uncontrolled release of the filter. It also enables quick filter changes. The audible click makes control easier.



Filter retention plate with safety lock

- Durable silicone gasket
- Prevents uncontrolled release
- Quick filter change
- Audible click-in



AESCULAP® STERILE CONTAINER SYSTEM

QUICK, RELIABLE AND EFFICIENT

The AESCULAP® sterile container system in daily use


■ In the medical device reprocessing unit:

After cleaning and disinfection, a visual function check is performed and, if necessary, a new paper filter inserted.



Next, the sterile container is then sealed on both sides. The production label is then affixed. The sterile container is now ready for sterilization.

The sterile container can be labeled using the color-coded labels, e.g. with information on the contents of the basket and/or where it belongs (neuro, OR 1, building A, etc.).



The packed instrument basket is then placed in the container bottom. The lid is then put on and locked.

Sterile container sealed with the AESCULAP® plastic seal with indicator*.



Sterile container sealed with AESCULAP® indicator label*.

■ In the operating room

After sterilization and the corresponding cooling phase, the sterile containers are placed in the sterile instrument store. The instrument sets are now ready to be used again. The AESCULAP® sterile container storage period (up to 1 year) has been tested in several long-term studies. The tests proved that sterility was maintained throughout the entire period. The storage conditions used in the tests complied with ANSI/AAMI ST79.

The corresponding nursing staff bring the closed sterile containers to the operating room and check that the seals are intact and the indicator has changed. The sterile container is then opened. When it is opened, the container seals are destroyed by the locking flaps**. A nurse lifts the lid off and stands back. A check is then carried out to ensure that the filter and gasket are intact. The lid is then put down.

The surgical nurse picks the instrument set up in the sterile container and places it on the preparation table.



** Alternatively:
Break the seal
by hand.

AESCU LAP® STERILE CONTAINER SYSTEM

QUICK, RELIABLE AND EFFICIENT

WHICH STERILE CONTAINER IS SUITABLE FOR EACH STERILISATION PROCESS? – AN OVERVIEW

For all AESCU LAP® sterile containers with CE marking.

		Steam sterilization ¹		Low temperature processes		
		Fractionated vacuum process	Gravity process	Sterrad® 100S, 200, NX, 100NX	Steris® Amsco V-Pro 1, V-Pro 1 Plus	Eto ²
Sterile containers	Basis	JK Series ✓	JN Series ✓	Incompatible	Incompatible	Not validated
	Vario	JK Series ✓	JN Series ✓	Incompatible	Incompatible	Not validated
	PRIMELine®PRO	JK Series ✓	Not validated	Incompatible	Incompatible	Incompatible
	Scope containers	✓	Not validated	JM020+JM021 ✓	JM020+JM021 ✓	✓
	Mini containers	JK Series ✓	JN Series ✓	JM188+JM174 ✓	JM188+JM174 ✓	Not validated
	Dental containers	JK Series ✓	JN Series ✓	Incompatible	Incompatible	Not validated
	XXL EndoContainer	JK Series ✓	JN Series ✓	Incompatible	Incompatible	Not validated
Filters	Paper – for single use	✓	✓	Incompatible	Incompatible	✓
	PTFE – reusable	✓	✓	Incompatible	Incompatible	Not validated
	Polypropylene – for single use (JF167)	Not validated	Not validated	✓	✓	Not validated

OK (sometimes only with certain article numbers – see note)
Not validated
Incompatible

¹ The sterilization must be done in a steam sterilization process validated according to ISO 17665-1 in a sterilizer according to EN 285.

² The sterilization must be validated according to EN 550/ISO 11135-1.

Aesculap Academy

DIALOG – DEDICATED TO LIFE.



Training events at the Aesculap Academy, contributions from Aesculap staff at national and international conferences, and above all extensive consultancy activities with users themselves – this is our contribution to the continuous improvement of sterile product supply worldwide.

At the same time, we are continuously improving AESCULAP® sterile containers, always in dialog with our customers so that we can provide them with reliable solutions in the future as well. This knowledge exchange is at the heart of our business.



VISION – MISSION – COMMITMENT

- **Our VISION:** We set sustainable standards for the benefit of patients and to preserve our environment for future generations.
- **Our MISSION:** The AESCULAP® Sterile Container System provides the right instrument, in a sterile condition and with low process costs, at the right time in the operating room.
- **Our COMMITMENT:** We have been in dialog with our customers for more than 45 years in order to provide them with reliable solutions. This dialog will be at the heart of our business in the future as well.



Tuttlingen | Berlin | Bochum

STERILE CONTAINERS



PRIMELine® PRO

SIZE 1/1

Lids for individual color combination

	Color
JP101	red
JP102	blue
JP103	green
JP104	gold
JP105	silver



	JK440
	JK441
	JK442
	JK444
	JK446

Solid bottoms = JK

TABLES OF DIMENSIONS PRIMELine® PRO

SIZE 1/1

Bottom 1/1		Lid		Sterile container with lid
	Outside dimensions		Outside dimensions	 Outside dimensions Inside dimensions
JK440	592 x 274 x 90	JP101 - JP105	588 x 281 x 36	592 x 281 x 107 544 x 258 x 75
JK441	592 x 274 x 120			592 x 281 x 137 544 x 258 x 105
JK442	592 x 274 x 135			592 x 281 x 152 544 x 258 x 120
JK444	592 x 274 x 187			592 x 281 x 204 544 x 258 x 172
JK446	592 x 274 x 247			592 x 281 x 264 544 x 258 x 232

PRIMELine® PRO

SIZE 3/4

Lids for individual color combination

	Color
JP111	red
JP112	blue
JP113	green
JP114	gold
JP115	silver



	JK740
	JK741
	JK742
	JK744

Solid Bottoms = JK

TABLES OF DIMENSIONS PRIME*Line*® PRO

SIZE 3/4

Bottom 3/4		Lid		Sterile container with lid
	Outside dim.		Outside dim.	 Outside dimensions Inside dimensions
JK740	470 x 274 x 90	JP111 - JP115	465 x 281 x 36	470 x 281 x 107 421 x 258 x 75
JK741	470 x 274 x 120			470 x 281 x 137 421 x 258 x 105
JK742	470 x 274 x 135			470 x 281 x 152 421 x 258 x 120
JK744	470 x 274 x 187			470 x 281 x 204 421 x 258 x 172

PRIMELine® PRO

SIZE 1/2

Lids for individual color combination

 for JK339	 for JK340-JK346	Color
JP131	JP121	red
JP132	JP122	blue
JP133	JP123	green
JP134	JP124	gold
JP135	JP125	silver



	
	JK339 without carrying handle
	JK340
	JK341
	JK342
	JK344
	JK346

Solid bottoms = JK

TABLES OF DIMENSIONS PRIMELine® PRO

SIZE 1/2

Bottom 1/2		Lid		Sterile container with lid
	Outside dimensions		Outside dimensions	 Outside dimensions Inside dimensions
JK339 without carrying handle	300 x 274 x 57	JP131 - JP135	298 x 281 x 36	300 x 281 x 74 260 x 265 x 35
JK340	300 x 274 x 90	JP121 - JP125	298 x 281 x 36	300 x 281 x 107 254 x 258 x 75
JK341	300 x 274 x 120			300 x 281 x 137 254 x 258 x 105
JK342	300 x 274 x 135			300 x 281 x 152 254 x 258 x 120
JK344	300 x 274 x 187			300 x 281 x 204 254 x 258 x 172
JK346	300 x 274 x 247			300 x 281 x 264 254 x 258 x 232

BASIS

SIZE 1/1

Lids for individual color combination

Inner lid

	Color
JK485	red
JK486	blue
JK487	green
JK488	gold
JK489	silver

Outer lid

	Color
JK475A	red
JK476A	blue
JK477A	green
JK478A	gold
JK479A	silver



		
	JK440	JN440
	JK441	JN441
	JK442	JN442
	JK444	JN444
	JK446	JN446

Solid bottoms = JK

Perforated bottoms = JN



TABLES OF DIMENSIONS BASIS

SIZE 1/1

Bottom 1/1		Inner lid		Outer lid		Sterile container with inner lid	Sterile container with inner and outer lid
	Outside dim.		Outside dim.		Outside dim.	 Outside dim. Inside dim.	 Outside dim. Inside dim.
JK440	592 x 274 x 90	JK485 - JK489	588 x 285 x 36	JK475A - JK479A	588 x 291 x 36	592 x 285 x 108 544 x 258 x 75	592 x 291 x 115 544 x 258 x 75
JK441	592 x 274 x 120					592 x 285 x 138 544 x 258 x 105	592 x 291 x 145 544 x 258 x 105
JK442	592 x 274 x 135					592 x 285 x 153 544 x 258 x 120	592 x 291 x 160 544 x 258 x 120
JK444	592 x 274 x 187					592 x 285 x 205 544 x 258 x 172	592 x 291 x 212 544 x 258 x 172
JK446	592 x 274 x 247					592 x 285 x 265 544 x 258 x 232	592 x 291 x 272 544 x 258 x 232

Bottom 1/1		Inner lid		Outer lid		Sterile container with inner lid	Sterile container with inner and outer lid
	Outside dim.		Outside dim.		Outside dim.	 Outside dim. Inside dim.	 Outside dim. Inside dim.
JN440	592 x 274 x 90	JK485 - JK489	588 x 285 x 36	JK475A - JK479A	588 x 291 x 36	592 x 285 x 108 544 x 258 x 63	592 x 291 x 115 544 x 258 x 63
JN441	592 x 274 x 120					592 x 285 x 138 544 x 258 x 93	592 x 291 x 145 544 x 258 x 93
JN442	592 x 274 x 135					592 x 285 x 153 544 x 258 x 108	592 x 291 x 160 544 x 258 x 108
JN444	592 x 274 x 187					592 x 285 x 205 544 x 258 x 160	592 x 291 x 212 544 x 258 x 160
JN446	592 x 274 x 247					592 x 285 x 265 544 x 258 x 220	592 x 291 x 272 544 x 258 x 220

BASIS

SIZE 3/4

Lids for individual color combination

Inner lid		Outer lid	
	Color		Color
JK785	red	JK775A	red
JK786	blue	JK776A	blue
JK787	green	JK777A	green
JK788	gold	JK778A	gold
JK789	silver	JK779A	silver



		
	JK740	JN740
	JK741	JN741
	JK742	JN742
	JK744	JN744

Solid bottoms = JK

Perforated bottoms = JN



TABLES OF DIMENSIONS BASIS

SIZE 3/4

Bottom 3/4		Inner lid		Outer lid		Sterile container with inner lid		Sterile container with inner and outer lid	
	Outside dim.		Outside dim.		Outside dim.		Outside dim. Inside dim.		Outside dim. Inside dim.
JK740	470 x 274 x 90	JK785 - JK789	460 x 285 x 36	JK775A - JK779A	460 x 291 x 36	470 x 285 x 108	421 x 258 x 75	470 x 291 x 115	421 x 258 x 75
JK741	470 x 274 x 120					470 x 285 x 138	421 x 258 x 105	470 x 291 x 145	421 x 258 x 105
JK742	470 x 274 x 135					470 x 285 x 153	421 x 258 x 120	470 x 291 x 160	421 x 258 x 120
JK744	470 x 274 x 187					470 x 285 x 205	421 x 258 x 172	470 x 291 x 212	421 x 258 x 172

Bottom 3/4		Inner lid		Outer lid		Sterile container with inner lid		Sterile container with inner and outer lid	
	Outside dim.		Outside dim.		Outside dim.		Outside dim. Inside dim.		Outside dim. Inside dim.
JN740	470 x 274 x 90	JK785 - JK789	460 x 285 x 36	JK775A - JK779A	460 x 291 x 36	470 x 285 x 108	421 x 258 x 63	470 x 291 x 115	421 x 258 x 63
JN741	470 x 274 x 120					470 x 285 x 138	421 x 258 x 93	470 x 291 x 145	421 x 258 x 93
JN742	470 x 274 x 135					470 x 285 x 153	421 x 258 x 108	470 x 291 x 160	421 x 258 x 108
JN744	470 x 274 x 187					470 x 285 x 205	421 x 258 x 160	470 x 291 x 212	421 x 258 x 160

BASIS

SIZE 1/2

Lids for individual color combination

Inner lid

Outer lid

 for JK339	 for JK340-JK346	Color	 for JK339-JK346	Color			
JK395	JK385	red	JK375A	red		JK339 without carrying handle	-
JK396	JK386	blue	JK376A	blue			
JK397	JK387	green	JK377A	green		JK340	JN340
JK398	JK388	gold	JK378A	gold			
JK399	JK389	silver	JK379A	silver		JK341	JN341



	JK342	JN342
	JK344	JN344
	JK346	JN346

Solid bottoms = JK

Perforated bottoms = JN



TABLES OF DIMENSIONS BASIS

SIZE 1/2

Bottom 1/2		Inner lid		Outer lid		Sterile container with inner lid		Sterile container with inner and outer lid	
	Outside dim.		Outside dim.		Outside dim.		Outside dim. Inside dim.		Outside dim. Inside dim.
JK339	300 x 274 x 57 without carrying handle	JK395 - JK399	298 x 285 x 36	JK375A - JK379A	298 x 291 x 36	300 x 285 x 67 260 x 265 x 35	300 x 291 x 75 260 x 265 x 35		
JK340	300 x 274 x 90	JK385 - JK389	298 x 285 x 36	JK375A - JK379A	298 x 291 x 36	300 x 285 x 108 254 x 258 x 75	300 x 291 x 115 254 x 258 x 75		
JK341	300 x 274 x 120					300 x 285 x 138 254 x 258 x 105	300 x 291 x 145 254 x 258 x 105		
JK342	300 x 274 x 135					300 x 285 x 153 254 x 258 x 120	300 x 291 x 160 254 x 258 x 120		
JK344	300 x 274 x 187					300 x 285 x 205 254 x 258 x 172	300 x 291 x 212 254 x 258 x 172		
JK346	300 x 274 x 247					300 x 285 x 265 254 x 258 x 232	300 x 291 x 272 254 x 258 x 232		


Bottom 3/4		Inner lid		Outer lid		Sterile container with inner lid		Sterile container with inner and outer lid	
	Outside dim.		Outside dim.		Outside dim.		Outside dim. Inside dim.		Outside dim. Inside dim.
JN340	300 x 274 x 90	JK385 - JK389	298 x 285 x 36	JK375A - JK379A	298 x 291 x 36	300 x 285 x 108 254 x 258 x 63	300 x 291 x 115 254 x 258 x 63		
JN341	300 x 274 x 120					300 x 285 x 138 254 x 258 x 93	300 x 291 x 145 254 x 258 x 93		
JN342	300 x 274 x 135					300 x 285 x 153 254 x 258 x 108	300 x 291 x 160 254 x 258 x 108		
JN344	300 x 274 x 187					300 x 285 x 205 254 x 258 x 160	300 x 291 x 212 254 x 258 x 160		
JN346	300 x 274 x 247					300 x 285 x 265 254 x 258 x 220	300 x 291 x 272 254 x 258 x 220		

VARIO

SIZE 1/1

Lids for individual color combination

Inner lid



Color

JK469

silver

Outer lid



Color

JK455A

red

JK456A

blue

JK457A

green

JK458A

gold

JK459A

silver



JK440

JN440



JK441

JN441



JK442

JN442



JK444

JN444



JK446

JN446

Solid bottoms = JK

Perforated bottoms = JN



TABLES OF DIMENSIONS VARIO

SIZE 1/1

Bottom 1/1		Inner lid		Outer lid		Sterile container with inner lid	Sterile container with inner and outer lid
	Outside dim.		Outside dim.		Outside dim.	 Outside dim. Inside dim.	 Outside dim. Inside dim.
JK440	592 x 274 x 90	JK469	588 x 285 x 36	JK455A - JK459A	582 x 291 x 36	592 x 285 x 108 544 x 258 x 75	592 x 291 x 115 544 x 258 x 75
JK441	592 x 274 x 120					592 x 285 x 138 544 x 258 x 105	592 x 291 x 145 544 x 258 x 105
JK442	592 x 274 x 135					592 x 285 x 153 544 x 258 x 120	592 x 291 x 160 544 x 258 x 120
JK444	592 x 274 x 187					592 x 285 x 205 544 x 258 x 172	592 x 291 x 212 544 x 258 x 172
JK446	592 x 274 x 247					592 x 285 x 265 544 x 258 x 232	592 x 291 x 272 544 x 258 x 232


Bottom 1/1		Inner lid		Outer lid		Sterile container with inner lid	Sterile container with inner and outer lid
	Outside dim.		Outside dim.		Outside dim.	 Outside dim. Inside dim.	 Outside dim. Inside dim.
JN440	592 x 274 x 90	JK469	588 x 285 x 36	JK455A - JK459A	582 x 291 x 36	592 x 285 x 108 544 x 258 x 63	592 x 291 x 115 544 x 258 x 63
JN441	592 x 274 x 120					592 x 285 x 138 544 x 258 x 93	592 x 291 x 145 544 x 258 x 93
JN442	592 x 274 x 135					592 x 285 x 153 544 x 258 x 108	592 x 291 x 160 544 x 258 x 108
JN444	592 x 274 x 187					592 x 285 x 205 544 x 258 x 160	592 x 291 x 212 544 x 258 x 160
JN446	592 x 274 x 247					592 x 285 x 265 544 x 258 x 220	592 x 291 x 272 544 x 258 x 220

VARIO

SIZE 3/4

Lids for individual color combination

Inner lid



Color

JK769

silver

Outer lid



Color

JK755A

red

JK756A

blue

JK757A

green

JK758A

gold

JK759A

silver



JK740

JN740



JK741

JN741



JK742

JN742



JK744

JN744

Solid bottoms = JK

Perforated bottoms = JN



TABLES OF DIMENSIONS VARIO

SIZE 3/4

Bottom 3/4		Inner lid		Outer lid		Sterile container with inner lid	Sterile container with inner and outer lid
	Outside dim.		Outside dim.		Outside dim.	 Outside dim. Inside dim.	 Outside dim. Inside dim.
JK740	470 x 274 x 90	JK769	460 x 285 x 36	JK755A - JK759A	460 x 291 x 36	470 x 285 x 108 421 x 258 x 75	470 x 291 x 115 421 x 258 x 75
JK741	470 x 274 x 120					470 x 285 x 138 421 x 258 x 105	470 x 291 x 145 421 x 258 x 105
JK742	470 x 274 x 135					470 x 285 x 153 421 x 258 x 120	470 x 291 x 160 421 x 258 x 120
JK744	470 x 274 x 187					470 x 285 x 205 421 x 258 x 172	470 x 291 x 212 421 x 258 x 172

Bottom 3/4		Inner lid		Outer lid		Sterile container with inner lid	Sterile container with inner and outer lid
	Outside dim.		Outside dim.		Outside dim.	 Outside dim. Inside dim.	 Outside dim. Inside dim.
JN740	470 x 274 x 90	JK769	460 x 285 x 36	JK755A - JK759A	460 x 291 x 36	470 x 285 x 108 421 x 258 x 63	470 x 291 x 115 421 x 258 x 63
JN741	470 x 274 x 120					470 x 285 x 138 421 x 258 x 93	470 x 291 x 145 421 x 258 x 93
JN742	470 x 274 x 135					470 x 285 x 153 421 x 258 x 108	470 x 291 x 160 421 x 258 x 108
JN744	470 x 274 x 187					470 x 285 x 205 421 x 258 x 160	470 x 291 x 212 421 x 258 x 160

VARIO


SIZE 1/2

Lids for individual color combination
Inner lid

 for JK339	 for JK340-JK346	Color
JK368	JK369	silver

Outer lid

 for JK339-JK346	Color
JK355A	red
JK356A	blue
JK357A	green
JK358A	gold
JK359A	silver



		
	JK339 without carrying handle	-
	JK340	JN340
	JK341	JN341
	JK342	JN342
	JK344	JN344
	JK346	JN346

Solid bottoms = JK

Perforated bottoms = JN



TABLES OF DIMENSIONS VARIO

SIZE 1/2

Bottom 1/2		Inner lid		Outer lid		Sterile container with inner lid	Sterile container with inner and outer lid
	Outside dim.		Outside dim.		Outside dim.	 Outside dim. Inside dim.	 Outside dim. Inside dim.
JK339	300 x 274 x 57 without carrying handle	JK368	298 x 285 x 36	JK355A - JK359A	298 x 291 x 36	300 x 285 x 67 260 x 265 x 35	300 x 291 x 75 260 x 265 x 35
JK340	300 x 274 x 90	JK369	298 x 285 x 36	JK355A - JK359A	298 x 291 x 36	300 x 285 x 108 254 x 258 x 75	300 x 291 x 115 254 x 258 x 75
JK341	300 x 274 x 120					300 x 285 x 138 254 x 258 x 105	300 x 291 x 145 254 x 258 x 105
JK342	300 x 274 x 135					300 x 285 x 153 254 x 258 x 120	300 x 291 x 160 254 x 258 x 120
JK344	300 x 274 x 187					300 x 285 x 205 254 x 258 x 172	300 x 291 x 212 254 x 258 x 172
JK346	300 x 274 x 247					300 x 285 x 265 254 x 258 x 232	300 x 291 x 272 254 x 258 x 232

Bottom 3/4		Inner lid		Outer lid		Sterile container with inner lid	Sterile container with inner and outer lid
	Outside dim.		Outside dim.		Outside dim.	 Outside dim. Inside dim.	 Outside dim. Inside dim.
JN340	300 x 274 x 90	JK369	298 x 285 x 36	JK355A - JK359A	298 x 291 x 36	300 x 285 x 108 254 x 258 x 63	300 x 291 x 115 254 x 258 x 63
JN341	300 x 274 x 120					300 x 285 x 138 254 x 258 x 93	300 x 291 x 145 254 x 258 x 93
JN342	300 x 274 x 135					300 x 285 x 153 254 x 258 x 108	300 x 291 x 160 254 x 258 x 108
JN344	300 x 274 x 187					300 x 285 x 205 254 x 258 x 160	300 x 291 x 212 254 x 258 x 160
JN346	300 x 274 x 247					300 x 285 x 265 254 x 258 x 220	300 x 291 x 272 254 x 258 x 220

MINI STERILE CONTAINERS

MINI STERILE CONTAINERS FOR SMALL SETS AND SMALL INSTRUMENTS.


The mini sterile containers were developed for small sets (e.g. small-wound treatment) and small, delicate instruments especially for microsurgery.

Suitable sterilisation processes (please also refer to page 20):

- Mini sterile containers are suitable for steam sterilisation using the fractionated vacuum process (solid bottom) and using the gravity process (perforated bottom).
- Separately labeled mini sterile containers (please also refer to the next page) are additionally suitable for low-temperature sterilisation processes with hydrogen peroxide in a Sterrad® 100 S, Sterrad® 200, Sterrad® NX, Sterrad® 100 NX, Steris V-Pro® 1 and Steris V-Pro® 1 Plus.
- Mini sterile containers are not suitable for hot air sterilization!



Mini sterile container with easy-to-use locking levers.



MINI STERILE CONTAINERS

Solid bottom = JK



Perforated bottom = JN



Lids for individual color combination



		Outside dimensions Length x Width x Height (mm)
JK187	JN187	310 x 132 x 30
JK188	JN188	310 x 132 x 57
	JM188*	310 x 132 x 57

	Color	Outside dimensions Length x Width x Height (mm)
JK170	red	305 x 140 x 25
JK171	blue	305 x 140 x 25
JK172	green	305 x 140 x 25
JK173	gold	305 x 140 x 25
JK174	silver	305 x 140 x 25
JM174*	silver	305 x 140 x 25

DIMENSIONS COMPLETE - Length x Width x Height (mm)

	Sterile containers, complete  Outside dimensions Inside dimensions
Bottom	with Lid
JK187	310 x 140 x 40 274 x 126 x 21
JK188	310 x 140 x 67 274 x 126 x 48

	Sterile containers, complete  Outside dimensions Inside dimensions
Bottom	with Lid
JN187	310 x 140 x 40 274 x 126 x 18
JN188	310 x 140 x 67 274 x 126 x 45
JM188*	310 x 140 x 67 274 x 126 x 45

* For low-temperature sterilisation processes with hydrogen peroxide in a Sterrad® 100S, Sterrad® 200, Sterrad® NX, Sterrad® 100NX, Steris V-Pro® 1 and Steris V-Pro® 1 Plus. To be used with disposable filter JF167 (see page 101).

DENTAL STERILE CONTAINERS

DENTAL STERILE CONTAINERS - THE SPECIAL DESIGN NOT ONLY FOR DENTAL SURGERY


AESCULAP® dental sterile containers are particularly suitable for sterile preparation in dental surgeries. Their size conforms to the commonly used DIN 13999 standard trays. The Dental Sterile Container fits into common small sterilizers. A wide range of accessories is available for combining individual instrument sets.



- The easy-to-use locking levers facilitate the aseptic presentation
- Sterile containers can be stacked for space-saving in the sterile supplies cycle.
- Quick-release filter retention plate for quick and easy replacement of AESCULAP® sterile filters.
- System-designed trays for processing, thermal disinfection, sterilization, transport and storage of instruments.
- Suitable sterilisation processes (please also refer to page 20): Dental sterile containers are suitable for steam sterilisation using the fractionated vacuum process (solid bottom) and using the gravity process (perforated bottom). Dental sterile containers are not suitable for hot air sterilization!

NOTE: This sterile container can be ordered complete (lid and body) under one article number.

Solid bottom

	Outside dim. Inside dim.		Outside dim.		Color	Outside dim.
	JN292 312 x 190 x 46 277 x 176 x 27	JK286	312 x 185 x 37	JN091	silver	319 x 190 x 25
	JN294 312 x 190 x 65 277 x 176 x 46	JK288	312 x 185 x 56			
	JN295 312 x 190 x 92 277 x 176 x 73	JK289	312 x 185 x 83			
	JN296 312 x 190 x 130 277 x 176 x 111	JK290	312 x 185 x 121			

Perforated bottom

	Outside dim. Inside dim.		Outside dim.		Color	Outside dim.
	JN092 312 x 190 x 46 277 x 176 x 20	JN086	312 x 185 x 37	JN091	silver	319 x 190 x 25
	JN094 312 x 190 x 65 277 x 176 x 39	JN088	312 x 185 x 56			
	JN095 312 x 190 x 92 277 x 176 x 66	JN089	312 x 185 x 83			
	JN096 312 x 190 x 130 277 x 176 x 104	JN090	312 x 185 x 121			

STERILE CONTAINERS FOR SCOPES

SEPARATE STORAGE AND PROVISION OF THE SCOPES

- Separate, quick aseptic supply, independent of instrument sets
- Protection of sensitive scopes including light conducting cable during reprocessing, transportation and storage
- Individual design with the organisation system Aesculap InOS®
- Protected perforation field
- The handle on the tray lid allows simple aseptic removal
- Stackable
- Suitable sterilisation processes (please also refer to page 20):
The scope sterile container is suitable for steam sterilisation using the fractionated vacuum process. Separately labeled scope sterile containers (please also refer to the next page) are additionally suitable for low-temperature sterilisation processes with hydrogen peroxide in a Sterrad® 100 S, Sterrad® 200, Sterrad® NX, Sterrad® 100 NX, Steris V-Pro® 1 and Steris V-Pro® 1 Plus. The scope container is not suitable for using in gravity processes!



Note

Sterrad® 100 S, Sterrad® 200, Sterrad® NX and Sterrad® 100 NX are registered trademarks of ASP.
V-Pro® 1 and V-Pro® 1 Plus are registered trademarks of Steris.

SCOPE STERILE CONTAINERS

LID

For the fractionated vacuum process
(incl. filter retention plate JK098)



	Outside dimensions Length x Width x Height (mm)
JK020	540 x 152 x 28

AESCULAP® reusable filter for steam
sterilisation, for use with filter retention
plate JK098, service life 1,000 cleaning
and sterilisation cycles.

Order unit (PAK): Pack of 2



	Outside dimensions Length x Width (mm)
JK091	95 x 215

TRAY

For up to two laparoscopic scopes and one
light cable.

Preconfigured trays see page 64



	Outside dimensions Length x Width x Height (mm)
JF435R	501 x 134 x 45

BOTTOM

For the fractionated vacuum process
(incl. filter retention plate JK098)



	Outside dimensions Length x Width x Height (mm)
JN021	540 x 144 x 65

AESCULAP® disposable filter for steam
sterilisation with process indicator,
for use with filter retention plate JK098.


Order unit (PAK): Pack of 100



	Outside dimensions Length x Width (mm)
JF166	118 x 235

Identification label with adhesive back and
process indicator* for steam sterilisation and
sterilisation with ethylene oxide.

Order unit (PAK): Pack of 100



	Outside dimensions Length x Width (mm)
JG751	67 x 35

Sterile container, complete

Outside dimensions
Inside dimensions

540 x 152 x **84**
503 x 134 x **45**

LID

For the hydrogen peroxide sterilisation in Sterrad® 100 S, Sterrad® 200, Sterrad® NX, Sterrad® 100 NX, Steris V-Pro® 1 and Steris V-Pro® 1 Plus, (incl. filter retention plate JK098)



	Outside dimensions Length x Width x Height (mm)
JM020	540 x 152 x 28

BOTTOM

For the hydrogen peroxide sterilisation in Sterrad® 100 S, Sterrad® 200, Sterrad® NX, Sterrad® 100 NX, Steris V-Pro® 1 and Steris V-Pro® 1 Plus, (incl. filter retention plate JK098)



	Outside dimensions Length x Width x Height (mm)
JM021	540 x 144 x 65


Sterile container, complete

Outside dimensions
Inside dimensions

540 x 152 x **84**
503 x 134 x **45**

Disposable filter for the hydrogen peroxide sterilisation in Sterrad® 100 S, Sterrad® 200, Sterrad® NX, Sterrad® 100 NX, Steris V-Pro® 1 and Steris V-Pro® 1 Plus.

Order unit (PAK): Pack of 100



	Outside dimensions Length x Width (mm)
JF167	235 x 118

Universal filter retention plate



	Outside dimensions Length x Width x Height (mm)
JK098	245 x 100 x 6

Identification label with adhesive back and process indicator* for Sterrad® gas plasma sterilisation.

Order unit (PAK): Pack of 100



	Outside dimensions Length x Width (mm)
JG750	67 x 35

* acc. to EN ISO 11140-1 Type 1

XXL ENDO STERILE CONTAINER AND ACCESSORIES

- Extra long Sterile Container for endoscopic instruments with sheath length of up to 420 mm.
- The instruments can be sterilized as fully assembled units, if applicable.
- Suitable sterilisation processes (please also refer to page 20):
The XXL Endo sterile container is suitable for steam sterilisation using the fractionated vacuum process (solid bottom) and using the gravity process (perforated bottom).
- **Caution:** The Endo Sterile Container can be sterilized only in sterilizers of an appropriate chamber size (at least 720 mm effective depth).



BOTTOM

solid bottom = JK

perforated bottom = JN

		Outside dimensions Length x Width x Height (mm)		Outside dimensions Length x Width x Height (mm)
JK443	JN443	711 x 274 x 120	JK490	708 x 280 x 35
	JN445	711 x 274 x 187		

LID

Dimensions complete -

Length x Width x Height (mm)


	Sterile container, complete
	Outside dimensions Inside dimensions
JK443	711 x 285 x 138 667 x 258 x 105
JN443	711 x 285 x 138 667 x 258 x 93
JN445	711 x 285 x 205 667 x 258 x 160

BASKETS



	Outside dim. Inside dim.
JF232R	660 x 253 x 56 658 x 251 x 42
JF236R	660 x 253 x 86 658 x 251 x 72

SILICONE POSITIONING MAT FOR STORING OF ACCESSORIES



	Outside dim.
JF933	610 x 230 x 30

ENDORACK FITTING FOR JN445

Storage rack for MIS-instruments, XXL, comprising: storage rack, XXL, perforated tray and silicone mat for instruments with shaft length up to 420 mm, fitting for JN445 + JK490



	Outside dim.
PL961R	660 x 253 x 166

DISPOSAL CONTAINERS

Disposal containers complete the instrument cycle.
The closed containers protect both staff and the environment from contamination during the transport of used instruments.

The disposal containers are of the same dimensions as the standard sterile containers, thus allowing standardized and automated instrument return and transport.

As all components of the disposal containers are made of stainless steel, combined cleaning and disinfecting agents can be used in them, and they can be cleaned with alkaline detergents.



Container SIZE	Solid bottom		Lid with opening		Lid without opening		Container, complete  
		Outside dim.		Outside dim.		Outside dim.	Outside dim. Inside dim.
1/2	JK060R	295 x 275 x 90	JK067R	295 x 280 x 36	JK068R	295 x 280 x 36	295 x 280 x 102 260 x 260 x 80
1/2	JK062R	295 x 275 x 135	JK067R	295 x 280 x 36	JK068R	295 x 280 x 36	295 x 280 x 150 260 x 260 x 125
1/1	JK262R	586 x 275 x 135	JK267R	586 x 280 x 36	JK268R	586 x 280 x 36	586 x 280 x 150 550 x 260 x 125



INSTRUMENT BASKETS

BASKET CONFIGURATOR

ILLUSTRATIVE OVERVIEW FOR JF BASKETS

WHICH BASKET GOES WITH WHICH CONTAINER BOTTOM?




JF SERIES

- Black PEEK plastic feet for stacking
- Fold-down handles on the side
- Mat surface
- 4 mm base perforation / 2 mm side perforation
- Can be combined with Aesculap InOS®
- Sloped edges

1/1 short


Top basket											
Basket in combination with:											
		Alone	JF211R	JF211R with lid*	JF212R	JF212R with lid*	JF213R	JF213R with lid*	JF214R	JF214R with lid*	
Bottom basket	JF211R			JK441 JN441	JK441 JN442	JK442 JN442	JK442 JN444		JK444 JN444	JK444 JN444	JK444 JN444
	JF211R with lid*			JK441 JN442	JK442 JN442	JK442 JN444		JK444 JN444	JK444 JN446	JK444 JN446	JK444 JN446
	JF212R			JK440 JN442	JK442 JN442	JK442 JN444		JK444 JN444			
	JF212R with lid*			JK441 JN441	JK442 JN444		JK444 JN444	JK444 JN446			JK446 JN446
	JF213R			JK441 JN442		JK444 JN444			JK446 JN446		
	JF213R with lid*			JK442 JN442	JK444 JN444		JK444 JN446				
	JF214R			JK444 JN444		JK446 JN446	JK446 JN446	JK446 JN446			JK446
	JF214R with lid*			JK444 JN446		JK446 JN446	JK446 JN446		JK446		-

*JF217R lid



1 EXAMPLE

- Basket alone: JF212R (without lid)
- ➡ suitable container bottom: JK440 or JN442



2 EXAMPLE

- Top basket: JF212R (without lid)
- Bottom basket: JF213R with lid
- ➡ suitable container bottom: JK444 or JN444

JK = Solid bottom
(fractionated vacuum process)



JN = Perforated bottom
(gravity process)



NOTE: ■ According to EN ISO 868-8, the load must not exceed a total of 10 kg in order to avoid excessive condensate formation.
■ Caution! The inner height and therefore the appropriate basket changes depending on whether JK or JN bottoms are used.



JF SERIES

- Black PEEK plastic feet for stacking
- Fold-down handles on the side
- Mat surface
- 4 mm base perforation / 2 mm side perforation
- Can be combined with Aesculap InOS®
- Sloped edges

1/1 long


		Top basket									
		Basket in combination with:									
		Alone	JF221R	JF221R with lid*	JF222R	JF222R with lid*	JF223R	JF223R with lid*	JF224R	JF224R with lid*	
Bottom basket	JF221R			JK441 JN441	JK441 JN442	JK442 JN442	JK442 JN444		JK444 JN444	JK444 JN444	JK444 JN444
	JF221R with lid*			JK441 JN442	JK442 JN442	JK442 JN444		JK444 JN444	JK444 JN446	JK444 JN446	JK444 JN446
	JF222R			JK442 JN442	JK442 JN444		JK444 JN444				
	JF222R with lid*			JK442 JN444		JK444 JN444		JK444 JN446		JK446 JN446	JK446 JN446
	JF223R			JK441 JN442	JK444 JN444				JK446 JN446		
	JF223R with lid*			JK442 JN442	JK444 JN444	JK444 JN446	JK444 JN446	JK446 JN446			
	JF224R			JK444 JN444	JK444 JN446	JK446 JN446	JK446 JN446				
	JF224R with lid*			JK444 JN446	JK446 JN446				JK446		

*JF227R lid



1 EXAMPLE

- Basket alone: JF222R (without lid)
- ➔ suitable container bottom: JK440 or JN442



2 EXAMPLE

- Top basket: JF222R (without lid)
- Bottom basket: JF223R with lid
- ➔ suitable container bottom: JK444 or JN444

JK = Solid bottom
(fractionated vacuum process)



JN = Perforated bottom
(gravity process)



NOTE: ■ According to EN ISO 868-8, the load must not exceed a total of 10 kg in order to avoid excessive condensate formation.
■ Caution! The inner height and therefore the appropriate basket changes depending on whether JK or JN bottoms are used.

BASKET CONFIGURATOR

ILLUSTRATIVE OVERVIEW FOR JF BASKETS

WHICH BASKET GOES WITH WHICH CONTAINER BOTTOM?




JF SERIES

- Black PEEK plastic feet for stacking
- Fold-down handles on the side
- Mat surface
- 4 mm base perforation / 2 mm side perforation
- Can be combined with Aesculap InOS®
- Sloped edges

3/4


Top basket										
Basket in combination with:										
		Alone	JF251R	JF251R with lid*	JF252R	JF252R with lid*	JF253R	JF253R with lid*	JF254R	JF254R with lid*
Bottom basket	JF251R		JK740	JK741	JK741	JK741	JK742	JK742	JK744	JK744
	JF251R with lid*		JN740	JN741	JN741	JN742	JK742	JK744	JN744	JK744
	JF252R	1	JK740	JK741	JK742	JK742	JK744	JK744	JK744	-
	JF252R with lid*		JN742	JN742	JN742	JN744				-
	JF253R		JK741	JK741	JK742	JK744	JK744	JK744	-	-
	JF253R with lid*		JN741	JN741	JN744					
	JF254R		JK741	JK742	JK744	JK744	JK744	-	-	-
	JF254R with lid*		JN742	JN744						

*JF257R lid



1 EXAMPLE

- Basket alone: JF252R (without lid)
- ➔ suitable container bottom: JK740 or JN742



2 EXAMPLE

- Top basket: JF252R (without lid)
- Bottom basket: JF253R with lid
- ➔ suitable container bottom: JK744 or JN744

JK = Solid bottom
(fractionated vacuum process)



JN = Perforated bottom
(gravity process)



NOTE: ■ According to EN 868-8, the load must not exceed a total of 7.5 kg in order to avoid excessive condensate formation.

■ Caution! The inner height and therefore the appropriate basket changes depending on whether JK or JN bottoms are used.



JF SERIES

- Black PEEK plastic feet for stacking
- Fold-down handles on the side
- Mat surface
- 4 mm base perforation / 2 mm side perforation
- Can be combined with Aesculap InOS®
- Sloped edges


1/2

Top basket

Basket in combination with:


		Alone	JF111R	JF111R with lid*	JF112R	JF112R with lid*	JF113R	JF113R with lid*	JF114R	JF114R with lid*
Bottom basket	JF111R			JK341 JN341	JK341 JN342	JK342 JN342	JK342 JN344		JK344 JN344	JK344 JN344
	JF111R with lid*			JK341 JN342	JK342 JN342	JK342 JN344		JK344 JN344	JK344 JN346	JK344 JN346
	JF112R			JK340 JN342	JK342 JN342		JK344 JN344			
	JF112R with lid*			JK341 JN341	JK342 JN344					
	JF113R			JK341 JN342						
	JF113R with lid*			JK342 JN342			JK344 JN346		JK346 JN346	
	JF114R									
	JF114R with lid*			JK344 JN344	JK344 JN346	JK346 JN346	JK346 JN346			

*JF117R lid



1 EXAMPLE

- Basket alone: JF112R (without lid)
- ➔ suitable container bottom:
JK340 or JN342



2 EXAMPLE

- Top basket: JF112R (without lid)
- Bottom basket: JF113R with lid
- ➔ suitable container bottom:
JK344 or JN344

JK = Solid bottom
(fractionated vacuum process)



JN = Perforated bottom
(gravity process)



NOTE: ■ According to EN 868-8, the load must not exceed a total of 5 kg in order to avoid excessive condensate formation.
■ Caution! The inner height and therefore the appropriate basket changes depending on whether JK or JN bottoms are used.

BASKETS PROTECT VALUABLE INSTRUMENTS



GOOD REASONS FOR CHOOSING AESCULAP® INSTRUMENT BASKETS:

- Comprehensive product range offering solutions not only for use with the AESCULAP® sterile container system but also for use with single-use wrap
- Various handle designs for an easy aseptic presentation in the operating room
- Close-meshed side walls to prevent breakage of fine instrument tips
- Lids may be used additionally to better protect very fine instruments
- Compatible with the Aesculap InOS® System
- Rounded feed for stacking made of thermostable plastic or of stainless steel
- Baskets with large perforation (8 mm) specially suited for cleaning and disinfection of instruments with rough debris (e. g. bone chips)

BASKET WITH FEET WITH LARGE PERFORATION



- Handles lockable in three positions
- Large base perforation: 8 mm

		Standard 1/2	Outside dim. Inside dim.	Standard 3/4	Outside dim. Inside dim.	Standard 1/1 short	Outside dim. Inside dim.	Standard 1/1 long	Outside dim. Inside dim.
56	JH112R		243 x 253 x 56 241 x 251 x 42	JH252R	406 x 253 x 56 404 x 251 x 42	JH212R	485 x 253 x 56 483 x 251 x 42	JH222R	540 x 253 x 56 538 x 251 x 42
76	JH113R		243 x 253 x 76 241 x 251 x 62	JH253R	406 x 253 x 76 404 x 251 x 62	JH213R	485 x 253 x 76 483 x 251 x 62	JH223R	540 x 253 x 76 538 x 251 x 62
106	JH114R		243 x 253 x 106 241 x 251 x 92	JH254R	406 x 253 x 106 404 x 251 x 92	JH214R	485 x 253 x 106 483 x 251 x 92	JH224R	540 x 253 x 106 538 x 251 x 92

BASKET WITH FEET




		Outside dim. Inside dim.		Outside dim. Inside dim.		Outside dim. Inside dim.		Outside dim. Inside dim.
 36	JF111R	243 x 253 x 36 241 x 251 x 22	JF251R	406 x 253 x 36 404 x 251 x 22	JF211R	485 x 253 x 36 483 x 251 x 22	JF221R	540 x 253 x 36 538 x 251 x 22
 56	JF112R	243 x 253 x 56 241 x 251 x 42	JF252R	406 x 253 x 56 404 x 251 x 42	JF212R	485 x 253 x 56 483 x 251 x 42	JF222R	540 x 253 x 56 538 x 251 x 42
 76	JF113R	243 x 253 x 76 241 x 251 x 62	JF253R	406 x 253 x 76 404 x 251 x 62	JF213R	485 x 253 x 76 483 x 251 x 62	JF223R	540 x 253 x 76 538 x 251 x 62
 106	JF114R	243 x 253 x 106 241 x 251 x 92	JF254R	406 x 253 x 106 404 x 251 x 92	JF214R	485 x 253 x 106 483 x 251 x 92	JF224R	540 x 253 x 106 538 x 251 x 92

BASKET WITHOUT FEET



		Outside dim. Inside dim.		Outside dim. Inside dim.		Outside dim. Inside dim.		Outside dim. Inside dim.
 24	JG111R	243 x 253 x 24 241 x 251 x 22	JG251R	406 x 253 x 24 404 x 251 x 22	JG211R	485 x 253 x 24 483 x 251 x 22	JG221R	540 x 253 x 24 538 x 251 x 22
 44	JG112R	243 x 253 x 44 241 x 251 x 42	JG252R	406 x 253 x 44 404 x 251 x 42	JG212R	485 x 253 x 44 483 x 251 x 42	JG222R	540 x 253 x 44 538 x 251 x 42
 64	JG113R	243 x 253 x 64 241 x 251 x 62	JG253R	406 x 253 x 64 404 x 251 x 62	JG213R	485 x 253 x 64 483 x 251 x 62	JG223R	540 x 253 x 64 538 x 251 x 62
 94	JG114R	243 x 253 x 94 241 x 251 x 92	JG254R	406 x 253 x 94 404 x 251 x 92	JG214R	485 x 253 x 94 483 x 251 x 92	JG224R	540 x 253 x 94 538 x 251 x 92


BASKET INSERTS



		Outside dim. Inside dim.		Outside dim. Inside dim.		Outside dim. Inside dim.
 34	JF110R	196 x 252 x 34 194 x 237 x 33	JF250R	305 x 252 x 34 303 x 237 x 33	JF210R	438 x 252 x 34 436 x 237 x 33

LID FOR BASKETS JF, JG, JH



	 Standard 1/2	Outside dim.	 Standard 3/4	Outside dim.	 Standard 1/1 short	Outside dim. Inside dim.	 Standard 1/1 long	Outside dim. Inside dim.
 JF117R		247 x 257 x 18	JF257R	410 x 257 x 18	JF217R	489 x 257 x 18	JF227R	544 x 257 x 18
					JH217R	489 x 257 x 18 with 8 mm perforation		

AESCULAP® TRAY SYSTEM



- Smooth stainless steel surface
- Large handles for easy aseptic presentation
- Fully compatible with the Aesculap Instrument Organisation System (Aesculap InOS®)
- Either with or without rounded feet for stacking
- Design suitable for use with the AESCULAP® sterile container system and with single-use wrap

AESCULAP® TRAY WITH FEET



		Outside dim. Inside dim.		Outside dim. Inside dim.		Outside dim. Inside dim.		Outside dim. Inside dim.
 50	JC112R	243 x 253 x 50 235 x 245 x 42	JC252R	406 x 253 x 50 398 x 245 x 42	JC212R	485 x 253 x 50 477 x 245 x 42	JC222R	536 x 253 x 50 528 x 245 x 42
 70	JC113R	243 x 253 x 70 235 x 245 x 62	JC253R	406 x 253 x 70 398 x 245 x 62	JC213R	485 x 253 x 70 477 x 245 x 62	JC223R	536 x 253 x 70 528 x 245 x 62
 100	JC114R	243 x 253 x 100 235 x 245 x 92	JC254R	406 x 253 x 100 398 x 245 x 92	JC214R	485 x 253 x 100 477 x 245 x 92	JC224R	536 x 253 x 100 528 x 245 x 92

AESCULAP® TRAY WITHOUT FEET



		Outside dim. Inside dim.		Outside dim. Inside dim.		Outside dim. Inside dim.		Outside dim. Inside dim.
 44	JB112R	243 x 253 x 44 235 x 245 x 42	JB252R	406 x 253 x 44 398 x 245 x 42	JB212R	485 x 253 x 44 477 x 245 x 42	JB222R	536 x 253 x 44 528 x 245 x 42
 64	JB113R	243 x 253 x 64 235 x 245 x 62	JB253R	406 x 253 x 64 398 x 245 x 62	JB213R	485 x 253 x 64 477 x 245 x 62	JB223R	536 x 253 x 64 528 x 245 x 62
 94	JB114R	243 x 253 x 94 235 x 245 x 92	JB254R	406 x 253 x 94 398 x 245 x 92	JB214R	485 x 253 x 94 477 x 245 x 92	JB224R	536 x 253 x 94 528 x 245 x 92

SPECIAL TRAYS



For small objects

2 mm perforation	Outside dim. Inside dim.
JF145R	85 x 44 x 25 80 x 39 x 18

4 mm perforation	Outside dim. Inside dim.
JF146R	85 x 44 x 25 80 x 39 x 18

JF147R	354 x 44 x 35 349 x 39 x 28
--------	--

JF148R	145 x 44 x 25 140 x 39 x 18
--------	--



For small objects, two trays fitting into an AESCULAP® mini sterile container, 2 each fitting into JK188 or JN188

Mini	Outside dim. Inside dim.
JF149R (2 mm perforation)	135 x 120 x 47 128 x 113 x 38



suitable sterile containers see page 43



4 mm perforation	Outside dim. Inside dim.
JF155R	236 x 72 x 27 230 x 66 x 20

Lid, fitting JF156R and JF155R

4 mm perforation	Outside dim. Inside dim.
JF157R	236 x 72 x 11



For small objects or micro instruments

4 mm perforation	Outside dim. Inside dim.
JF150R	235 x 137 x 42 229 x 131 x 35



suitable sterile containers see page 44



Tray base

4 mm perforation	Outside dim. Inside dim.
JF156R	232 x 68 x 61 227 x 61 x 54

Tray divider, fitting JF156R

JF158R	



For micro instruments fitting into an AESCULAP® mini sterile container, fitting into JK188 or JN188

Mini	Outside dim. Inside dim.
JF159R (4 mm perforation)	267 x 125 x 49 261 x 118 x 41

SPECIAL TRAYS



Tray without inserts, with lid handle fitting into dental sterile container JN094

	Outside dim.
	Inside dim.
JF264R	273 x 176 x 41 267 x 170 x 34



Tray with lid fitting into dental sterile container JN095

	Outside dim.
	Inside dim.
JG285R	273 x 176 x 60 267 x 170 x 53



Tray without lid fitting into dental sterile container JN096

	Outside dim.
	Inside dim.
JF282R	269 x 171 x 93 267 x 169 x 91



Lid for tray JF282R

	Outside dim.
JF289R	273 x 176 x 16



Tray, contains three instrument racks (JG392), with lid handle, fitting into dental sterile container JN094

	Outside dim.
	Inside dim.
JG380R	273 x 84 x 41 267 x 78 x 34



Tray, contains three instrument racks (JG391), with lid handle, fitting into dental sterile container JN094

	Outside dim.
	Inside dim.
JG381R	273 x 176 x 30 267 x 170 x 23

SPECIAL TRAYS



Tray, with perforation for retractor, contains three instrument racks (JG391), with lid handle, fitting into dental sterile container JN094

	Outside dim.
	Inside dim.
JG383R	273 x 176 x 30 267 x 170 x 23



Tray, contains three instrument racks (JG393), with lid handle, fitting into dental sterile container JN094

	Outside dim.
	Inside dim.
JG384R	273 x 176 x 41 267 x 170 x 34



Tray, without inserts, with lid handle, fitting into dental sterile container JN094

	Outside dim.
	Inside dim.
JG386R	273 x 176 x 41 267 x 170 x 34




Tray, contains the instrument racks JG400 and JG401 for 6 instruments

	Outside dim.
	Inside dim.
JG387R	188 x 84 x 30 181 x 78 x 23



Tray, contains the instrument racks JG400 and JG401 for 9 instruments

	Outside dim.
	Inside dim.
JG388R	188 x 125 x 30 181 x 119 x 23



Tray, contains five instrument racks (2 x JG394, 2 x JG400, 1 x JG401), with lid handle, fitting into dental sterile container JN094

	Outside dim.
	Inside dim.
JG389R	273 x 176 x 30 267 x 170 x 23

SPECIAL TRAYS



Tray with lid



Tray with lid

	Outside dim.
	Inside dim.
JG487R	188 x 84 x 30 181 x 82 x 23

	Outside dim.
	Inside dim.
JG488R	188 x 125 x 30 181 x 123 x 23

SCOPE TRAYS



Tray for one scope of sheath length up to 340 mm.



Tray for two scopes of sheath length up to 340 mm.



Tray for two scopes of sheath length up to 340 mm, with additional support.

	Outside dim.
	Inside dim.
JF431R	454 x 84 x 41 448 x 78 x 34

	Outside dim.
	Inside dim.
JF432R	454 x 104 x 41 448 x 98 x 34

	Outside dim.
	Inside dim.
JF433R	454 x 104 x 41 448 x 98 x 34



Tray for mini hysteroscope
of < 4 mm diameter

	Outside dim. Inside dim.
JF434R	454 x 104 x 41 448 x 98 x 34



Tray for one arthroscope of 2.7 mm
or 4 mm sheath diameter and sheath
length 140 – 200 mm.

	Outside dim. Inside dim.
JF436R	273 x 84 x 41 267 x 78 x 34



Tray like JF435R prepared for one
scope and one light conducting cable
(incl. 1x JG367 + 1x JG368)

	Outside dim. Inside dim.
JF428R	500 x 132 x 44 494 x 124 x 30



Tray like JF435R prepared for two
scopes and one light conducting cable
(incl. 2x JG367 + 2x JG368)


	Outside dim. Inside dim.
JF429R	500 x 132 x 44 494 x 124 x 30



Tray for up to two laparoscopic scopes
and one light conducting cable (scope
holders JG367 + JG368 and fixation
pins JG300 please order separately)

	Outside dim. Inside dim.
JF435R	500 x 132 x 44 494 x 124 x 30

STORAGE RACK FOR MIC INSTRUMENTS AND TROCARS




Storage rack set for MIS instruments and trocars, consisting of: Storage rack, standard, instrument basket and silicone mat fitting JK444 and JK489.

	Outside dim. Inside dim.
PL960R	540 x 253 x 166




Storage rack set for MIS instruments, XXL, consisting of: Storage rack, XXL, instrument basket and silicone mat, for instruments with shaft length up to 420 mm, fitting JN445 and JK490.

	Outside dim. Inside dim.
PL961R	660 x 253 x 166



Storage rack, standard


	Outside dim.
PL963R	487 x 250 x 153



Storage rack, XXL

	Outside dim. Inside dim.
PL964R	587 x 250 x 153

STORAGE FRAME



Storage frame
for bone punches

	Outside dim. Inside dim.
JF120R	454 x 104 x 41



Aesculap InOS® - INSTRUMENT ORGANISATION SYSTEM

Aesculap InOS® – INSTRUMENT ORGANISATION SYSTEM


ORGANISATION AND PROTECTION OF SURGICAL INSTRUMENTS

Surgical instruments are valuable assets for every hospital, which is why they should be processed as efficiently and gently as possible.

Therefore, protecting the instruments during sterilisation, as well as in transport to sterile supply storage and to the operating room, is of crucial importance.

The Aesculap organisation system for instrument trays facilitates the safe storage especially of delicate instruments and small items.


*Transsphenoidal
hypophysectomy Set*




Bone tray accessory




Tympanoplasty Set




Skull Set



*Microvascular Tray
accessory*



Laminectomy Set








*CABG Micro accessory
(Coronary Artery Bypass Graft)*

Aesculap InOS[®] – INSTRUMENT ORGANISATION SYSTEM

APPLICATION POSSIBILITIES


The following pages show examples of application possibilities with components from the Aesculap Instrument Organisation System.







Aesculap InOS® – INSTRUMENT ORGANISATION SYSTEM

APPLICATION POSSIBILITIES







JF214R



JF110R



JF148R




JF942

JF214R

*CABG Micro Supplement
(Coronary Artery Bypass Graft)*










JG300






JG341, JG342,
JG344

Aesculap InOS® – INSTRUMENT ORGANISATION SYSTEM

INSTRUMENT RACKS* (MOUNTING A)		Interspaces	Outside dim.	Art. no.	
 		7	120 x 40 mm	JG304	
		9	160 x 40 mm	JG305	
		15	240 x 40 mm	JG306	
 		9	120 x 40 mm	JG308	
		11	160 x 40 mm	JG309	
		17	240 x 40 mm	JG310	
 		6	120 x 40 mm	JG312	
		8	160 x 40 mm	JG313	
		12	240 x 40 mm	JG314	
 		10	120 x 40 mm	JG316	
		14	160 x 40 mm	JG317	
		20	240 x 40 mm	JG318	
 		20	120 x 40 mm	JG327	


INSTRUMENT RACKS FOR MICRO INSTRUMENTS* (MOUNTING A)		Interspaces	Outside dim.	Art. no.
       		7	123 x 18 mm	JG321
		6	123 x 18 mm	JG322
		13	123 x 18 mm	JG323
		7	123 x 45 mm	JG324


INSTRUMENT RACKS FOR MICRO INSTRUMENTS*		Interspaces	Outside dim.	Art. no.
 	Positioning rack	19 29	160 x 30 mm 240 x 30 mm	JG325 JG326 (mounting A)
	Support for spring type micro instruments – handle end	4 2	120 x 40 mm 60 x 40 mm	JG328 JG333 (mounting B)
	Support for spring type micro instruments – jaw end	4 2	120 x 40 mm 60 x 40 mm	JG329 JG334 (mounting B)
HOLDERS WITH RAIL* (MOUNTING A)			Diameter	Art. no.
			5 mm	JG340
			7.5 mm	JG341
			8.5 mm	JG342
			10 mm	JG343
			12 mm	JG344
METAL CLAMP WITH SILICONE INLAY / RAIL* (MOUNTING A)			Diameter	Art. no.
			15 – 20 mm	JG352R
			20 – 30 mm	JG353R
			30 – 45 mm	JG354R
SEPARATING RACKS* (MOUNTING A)			Length	Art. no.
			120 x 40 mm	JG358
			160 x 40 mm	JG359
			243 x 40 mm	JG360

*** NOTE:**

Unless noted otherwise, please order the fixation pins JG300 separately.

Aesculap InOS® – INSTRUMENT ORGANISATION SYSTEM

SCOPE HOLDERS* (MOUNTING A)		Interspaces	Art. no.
 	Eyepiece holder		JG367
	Sleeve holder		JG368
	Support for angled optics		JG369




HOLDERS WITH FIXATION CLAMP (MOUNTING B)					
		Silicone bar with metal base plate and holding pins JG300	160 x 23 mm	14	JG397 (mounting A)
		Silicone bar with metal base plate and holding pins JG300	160 x 34 mm	13	JG398 (mounting A)




HOLDERS WITH FIXATION CLAMP (MOUNTING B)	Diameter	Art. no.	Diameter	Art. no.
	15 mm	JG330	10 mm	JG335
	25 mm	JG331	7.5 mm	JG336
	30 mm	JG332	5 mm	JG337

INSTRUMENT RACKS (MOUNTING B)		Outside dim.	Interspaces	Art. no.
	Silicone bar with metal clamp	76 x 33 mm	6	JG396



*** NOTE:**


Unless noted otherwise, please order the fixation pins JG300 separately.

RACK FOR BASKET INLAYS (MOUNTING C)	Outside dim.	Interspaces	Art. no.
 	240 x 30 mm		JG370
 	234 x 30 mm	10	JG371
 	227 x 30 mm	10	JG372

INSTRUMENT RACKS FOR SPECIAL TRAYS WITH 30 MM HEIGHT (MOUNTING C)	Outside dim.	Interspaces	Art. no.
	159 x 14 mm	13	JG400
	74 x 22 mm	6	JG394
	115 x 22 mm	10	JG395
	158 x 22 mm	14	JG391



Aesculap InOS® – INSTRUMENT ORGANISATION SYSTEM




INSTRUMENT RACKS FOR SPECIAL TRAYS WITH 41 MM HEIGHT (MOUNTING C)		Outside dim.	Interspaces	Art. no.
		76 x 33 mm	6	JG392
		158 x 33 mm	13	JG393
		158 x 30 mm		JG390
TOP HOLDER FOR SPECIAL TRAYS		Outside dim.		Art. no.
	Press pad, for suppressing the instrument, to assemble to the lower side of the lid.	150 x 15 mm		JG399 (mounting B)
		158 x 14 mm		JG401
TROCAR RACK (MOUNTING D)		Outside dim.	Interspaces	Art. no.
	 Storage example: 2 x JG361, 1 x JG309	167 x 53 mm	11	JG361


FIXATION ELEMENTS		Art. no.	
	for mounting A	Fixation pin	JG300 Pack containing 10 pieces/each
	for mounting B	Fixation clamp	JG301R Pack containing 10 pieces/each
	for mounting A	Screwdriver	JG302
		Set of screws and self-locking nuts	JG303R Pack containing 10 pieces/each
		Mounting set Consists of: 1 x wrench 1 x Allen key (for mounting E)	GB459R


FIXATION PINS FOR RING HANDLE INSTRUMENTS		Diameter	Art. no.
	mounting E	25 mm, height 29 mm	JF346
		6 mm, height 47 mm	JF343

Aesculap InOS® – INSTRUMENT ORGANISATION SYSTEM

SILICONE MATS (MESH)		Outside dim.	Art. no.
 	fitting to 1/2 basket	240 x 250 mm	JF938
	fitting to 3/4 basket	402 x 250 mm	JF940
	fitting to 1/1, short basket	480 x 250 mm	JF939
	fitting to 1/1, long basket	536 x 250 mm	JF941

SILICONE MATS WITH PERFORATION (NUBS)		Outside dim.	Art. no.
 	fitting to JF159R	248 x 102 mm	JF944
	fitting to 1/2 basket	248 x 237 mm	JF945
 	fitting to 3/4 basket	394 x 242 mm	JF947
	fitting to 1/1, short basket	472 x 242 mm	JF948
	fitting to 1/1, long basket	517 x 242 mm	JF949

POSITIONING MAT		Outside dim.	Art. no.
		470 x 230 x 30 mm	JF932
		276 x 125 x 17 mm	JF934



NOTE:

Aesculap InOS® can be used with any Aesculap tray with 4 mm base perforation, model JF212R, JG212R, JC212R, JB212R.

It can not be used with wire trays model JF499R and with trays with 8 mm base perforation, model JH212R.

The silicone positioning mats can be used with any tray.


Aesculap InOS® – INSTRUMENT ORGANISATION SYSTEM

MOUNTING A for instrument racks with fixation pin




MATERIALS REQUIRED:

- Fixation pins JG300 (to be ordered separately)
- Screwdriver JG302
- Instrument rack such as JG304
- AESCULAP® basket (e.g. trays from JC/JB and JF/JG range, but no wire baskets)



Place the instrument rack in the required position on the AESCULAP® basket, making sure the rack's fixation lugs fit onto the basket's latticework correctly.

Insert fixation pin JG300, ensuring that the upper part of the pin is at a 45° angle to the latticework. In this position, use screwdriver JG302 to drive in the pin.



Now, applying pressure, screw the pin into the basket's latticework. Repeat procedure for the second fixation lug if necessary.

MOUNTING B for silicone holders with fixation clamps



MATERIALS REQUIRED:

- Silicone instrument holder, such as JG333
- Fixation clamp JG301R (supplied as standard with the silicone instrument holders)
- AESCULAP® basket (e.g. all baskets from the JC/JB and JF/JG range, but no wire baskets)




Press fixation clamp JG301R at the required location into tray from below until it engages.




Repeat procedure for the second clamp. You can then slide in the holder.

MOUNTING C for silicone racks in basket inserts




MATERIALS REQUIRED:

- Basket inserts JF110R, JF250R or JF210R
- Instrument rack, such as JG372



Push the fixation lugs through the longitudinal slots in the basket.



To pull the lugs through the slot completely, move left and right while applying tension.


MOUNTING D for trocar racks

MATERIALS REQUIRED:

- Trocar rack JG361
- AESCULAP® basket (e.g. all trays from JC/JB and JF/JG range, but no wire baskets)



First insert the longer lugs into the basket perforation.



Then lock the hook on the opposite side into the basket perforation. To do this, gently and briefly push the rack forward and down.

Aesculap InOS® – INSTRUMENT ORGANISATION SYSTEM

MOUNTING E fixation pin for ring handle instruments



MATERIALS REQUIRED:

- Fixation pin for ring-handle instruments JF346 (screw, spring washer and nut are supplied as standard)
- Allen head wrench (included in mounting set GB459R)
- AESCULAP® basket (e.g. trays from JC/JB and JF/JG range)

Fit the spring washer onto the screw and guide the screw through the basket latticework from below. Fit the black fixation pin onto the screw from above and use the nut to fasten.

Using the Allen head wrench, fix the screw from below while tightening the black fixation pin from above.

FIXATION ELEMENTS FOR WIRE BASKETS

				
		Outside dim. Effective dim.		
JG691R	24 x 28 x 25 Ø 7-12 mm		Holding clamp	
		Outside dim. Effective dim.		
JG692R	24 x 28 x 29 Ø 12-16 mm		Holding clamp	
		Outside dim. Effective dim.		
JG693R	24 x 28 x 31 Ø 16-26 mm		Holding clamp	
		Outside dim. Effective dim.		
JG694R	24 x 28 x 40 Ø 16-36 mm		Holding clamp	
		Outside dim. Effective dim.		
JG695R	24 x 28 x 44 Ø 36-46 mm		Holding clamp	
		Outside dim. Federlänge		
JF715R	116 x 30 x 13.4 90 mm		Helical spring holding device for installation in baskets or on basket bases	

Aesculap InOS® – INSTRUMENT ORGANISATION SYSTEM

FIXATION ELEMENTS FOR WIRE BASKETS



	Outside dim.
JG697R	112 x 23 x 45

Pivoted holding device for installation in baskets or on basket bases; holds up to 6 screw application instruments (drills, taps, screwdriver).



	Outside dim.
JG698R	209 x 23 x 45

Pivoted holding device for installation in baskets or on basket bases; holds up to 12 screw application instruments (drills, taps, screwdrivers).



	Outside dim.
JG701R	55 x 26 x 20

Drill bit stand for 8 drill bits; for installation in baskets or on basket bases; assembled and disassembled in seconds without any tools.



	External dim.
JG696R	Ø 6.0 x 20
JG702R	Ø 4.9 x 20
JG703R	Ø 4.5 x 22
JG706R	Ø 6.0 x 28
JG708R	Ø 6.0 x 45

Holding pin – e.g. for motor accessories

Holding pin – e.g. for bone flaps

Holding pin – e.g. for coriotome heads

Holding pin – e.g. for motor accessories

Holding pin – e.g. for motor accessories

FIXATION ELEMENTS FOR WIRE BASKETS



	Outside dim.
JF907R	471 x 16 x 6

Rail
for slide JF905



	Outside dim.
JF905R	40 x 5 x 16

Slide
adjustable position on rail
JF907R



	Outside dim.
JF908R	232 x 26 x 28

Stop frame
for storing of dilators



	Outside dim.
JF909R	471 x 26 x 28

Stop frame
for storing of dilators

Aesculap InOS® – INSTRUMENT ORGANISATION SYSTEM

ANGLE PIECES, STOP FRAMES



	Outside dim.
JF921R	110 x 15 x 28

Angle piece (stop frame), with fastening screws specially suited for partitioning baskets and basket bases.



	Outside dim.
JF922R	174 x 15 x 28

Angle piece (stop frame), with fastening screws specially suited for partitioning baskets and basket bases.



	Outside dim.
JF923R	244 x 15 x 28

Angle piece (stop frame), with fastening screws specially suited for partitioning baskets and basket bases.



	Outside dim.
JF378R	164 x 27 x 12

Stop frame with fastening screws for insertion in baskets.



	Outside dim.
JF381R	76 x 27 x 12

Stop frame with fastening screws for insertion in baskets.

ACCESSORIES



ACCESSORIES

IDENTIFICATION LABELS



JG785B	red
JG786B	blue
JG787B	green
JG788B	gold
JG790B	black
JG792B	olive-brown
JG793B	violet
JG794B	orange

Identification labels with lettering one line or two lines (character height 5 mm), up to 13 characters per line. Dimensions: 56 x 18 mm for all Standard sterile containers except JK299, JK309 and JK339

NOTE: Process aluminum identification labels with pH-neutral cleaning agent.



JG785U	red
JG786U	blue
JG787U	green
JG788U	gold
JG790U	black
JG792U	olive-brown
JG793U	violet
JG794U	orange

Identification labels without lettering

Specifications as above

NOTE: Process aluminum identification labels with pH-neutral cleaning agent.



JG645B	red
JG646B	blue
JG647B	green
JG648B	gold
JG650B	black
JG652B	olive-brown
JG653B	violet
JG654B	orange

Identification labels with lettering one line or two lines (character height 5 mm), up to 13 characters per line. Dimensions: 50 x 18 mm for mini-, dental-, scope sterile container, disposal container and JK299, JK309, JK339

NOTE: Process aluminum identification labels with pH-neutral cleaning agent.



JG645U	red
JG646U	blue
JG647U	green
JG648U	gold
JG650U	black
JG652U	olive-brown
JG653U	violet
JG654U	orange

Identification labels without lettering

Specifications as above

NOTE: Process aluminum identification labels with pH-neutral cleaning agent.



IDENTIFICATION LABELS




	Outside dim.
JG736R	56 x 18

Bar code labels, plastic, general, suitable for the label holder on AESCULAP® sterile containers. type 128A, 10 characters max. code length, 10 characters max. lettering length.

SPECIAL NOTE:

Please specify the required designation in your order. Bar code and designation represent the same content. Also fitting into holder JG730.



	Outside dim.
IC-V006	56 x 18

Bar code labels, plastic, for instacount®, fitting into the label holder on AESCULAP® sterile containers. type 128A, 10 characters max. code length, 20 characters max. lettering length.

SPECIAL NOTE:

Please specify the required designation and the serial number of the instacount set.



	Outside dim.
JG730U	50 x 35 x 13

Holder for identification labels, for mounting on the trays, blank.



	Outside dim.
JG730B	50 x 35 x 13

Holder for identification labels, for mounting on the trays. Lettered (one line, max. 14 characters/line, character height max. 4 mm).

ACCESSORIES

IDENTIFICATION LABELS





JG625R

Outside dim.

50 x 20 x 4

Holder for identification labels, to be mounted on baskets.



JG636R

Outside dim.

33 x 20

Identification label for baskets, with lettering (one-line or two-line), up to 8 characters per line, character height 5 mm.



JG616U

Outside dim.

58 x 23

Identification label for baskets, for barcode tags.

JG616B

58 x 23

Identification label for baskets, with lettering (one-line or two-line), up to 14 characters per line, character height 5 mm.



JG617U

Outside dim.

89 x 30

Identification label for baskets, for barcode tags.

JG617B

89 x 30

Identification label for baskets, with lettering (one-line or two-line), up to 20 characters per line, character height 5 mm.

DISPOSAL STAMPS



	Outside dim.
JG673B	40 x 35 x 9
JG673U	40 x 35 x 9

Disposal stamp with lettering
(one-line or two-line), up to 14 characters per line.

Disposal stamp, blank

Order unit: ST = pieces



	Outside dim.
JG675B	40 x 35 x 9
JG675U	40 x 35 x 9

Disposal stamp with lettering
one line, up to 3 digits (numerical only).

Disposal stamp, blank

Order unit: PR = pair



	Outside dim.
JG690	393 x 85 x 155

Storage stand
for disposal stamps.

FIXIERKLAMMERN



	Outside dim.
JF484R	65 x 20 x 20

Fixation clamp
for clamping together baskets and containers
that are arranged next to each other on the prep
table.



	Outside dim.
JF509R	50 x 20 x 12

Fixation clamp
for wrapping drapes.


ACCESSORIES

FILTER ACCESSORIES



JK100

Universal filter retention plate for reusable filters and paper filters, fitting for all lid and body components of standard sterile containers.



JG731R

Bar code identification ring for filter retention plate. For recording the cycle count of reusable filter JK090. Lettering acc. to specification, up to 6 digits with bar code BC128A.



JK098

Outside dim.

245 x 100 x 6

Universal filter retention plate for reusable and paper filters, fitting for all lid and base components of mini, dental and scope sterile containers.



JK096

Outside dim.

197 x 197 x 40

Filter dispenser for round filters.



JP050

Filter insert for PRIMELine® and PRIMELine® PRO lids validated for 5,000 sterilization cycles.



JP055

Mounting handle for filter insert, PRIMELine® and PRIMELine® PRO lids.



CONSUMABLES

CONSUMABLES

REUSABLE FILTERS



	Outside dim.
JK090	Ø 190

AESCULAP® reusable filter, round for use in up to 1,000 cleaning and sterilization cycles.

Order unit (PAK): Pack of 10



	Outside dim.
JK089	225 x 225

AESCULAP® reusable filter, square for legacy standard sterile containers, service life 1,000 cleaning and sterilization cycles.

Order unit (PAK): Pack of 10



 	Outside dim.
JK091	95 x 215

AESCULAP® reusable filter for mini, dental and scope sterile containers with filter retention plate JK098, service life 1,000 cleaning and sterilization cycles.

Order unit (PAK): Pack of 2



	Outside dim.
JK092	171 x 231

AESCULAP® reusable filter for dental sterile containers without filter retention plate JK098, service life 1,000 cleaning and sterilization cycles.

Order unit (PAK): Pack of 2

MARKING PENS



JK086	

Marking pen for AESCULAP® reusable filters

Order unit (PAK): Pack of 3

PAPER FILTERS



	Outside dim.
JK095	Ø 190

AESCULAP® paper filter
with process indicator for steam sterilization*

Order unit (PAK): Pack of 100



	Outside dim.
	
JF166	118 x 235

AESCULAP® paper filter for mini, dental and
scope sterile containers with process
indicator for steam sterilization*, for use
with filter retention plate JK098.

Order unit (PAK): Pack of 100



	Outside dim.
JF066	171 x 232

AESCULAP® paper filter for dental sterile
containers with process indicator for steam
sterilization*, for use without filter retention
plate JK098.


Order unit (PAK): Pack of 100



	Outside dim.
JF481	230 x 230

AESCULAP® paper filter, square
for legacy standard sterile containers without
process indicator.

Order unit (PAK): Pack of 100



	Outside dim.
JF167	235 x 118





Disposable filter for the hydrogen peroxide
sterilisation in Sterrad® 100S, Sterrad® 200,
Sterrad® NX, Sterrad® 100NX, Steris V-Pro® 1
and Steris V-Pro® 1 Plus.

Order unit (PAK): Pack of 100

* acc. to EN ISO 11140-1 type 1

CONSUMABLES

INDICATOR LABELS



Standard	Color	Outside dim.
JG744	white	80 x 35
JG745	red	80 x 35
JG746	blue	80 x 35
JG747	green	80 x 35
JG748	yellow	80 x 35

Standard	Outside dim.
JG743	80 x 35

Mini Dental	Outside dim.
JG687	60 x 18

	Outside dim.
JG682	67 x 40

	Outside dim.
JG683	67 x 40

Scope	Outside dim.
JG750	67 x 35
JG751	67 x 35

Indicator seal with adhesive back and process indicator for steam sterilization*; safeguarding the sterile container against unauthorized opening. For standard sterile containers.
Order unit (PAK): Pack of 1,000

Seal without adhesive back and process indicator for steam sterilization; safeguarding the sterile container against unauthorized opening. For standard sterile containers.
Order unit (PAK): Pack of 1,000

Indicator label with adhesive back and process indicator for steam sterilization* for mini and dental sterile containers, container bottom JK339.
Order unit (PAK): Pack of 100

Indicator label with process indicator for steam sterilization* for for legacy standard sterile containers.
Order unit (PAK): Pack of 1,000

Indicator label with adhesive back and process indicator for steam sterilization, for legacy standard sterile containers.
Order unit (PAK): Pack of 1,000

Identification label with adhesive back and process indicator for Sterrad® gas plasma sterilisation.
Order unit (PAK): Pack of 100

Identification label with adhesive back and process indicator for steam sterilisation* and sterilisation with ethylene oxide.
Order unit (PAK): Pack of 100

SEALS




JG738
JG739

Seal - safeguarding the sterile container against unauthorized opening.

Order unit (PAK): Pack of 100


Order unit (PAK): Pack of 1,000



JG739W

Seal - for AESCULAP® sterile container till year of construction 1987 and AESCULAP® mini and dental sterile containers till year of construction 1999 (locking flap at the container bottom).

Order unit (PAK): Pack of 1,000



JG740

Repair stamp - for marking instruments for repair or sterile containers holding materials due for repair.

Order unit (PAK): Pack of 1,000



JG752
JG753

Seal - safeguarding the sterile container against unauthorized opening, with process indicator for steam sterilization*.

Order unit (PAK): Pack of 100

Order unit (PAK): Pack of 1,000

CONSUMABLES

MAINTENANCE PRODUCTS



JG598	

STERILIT® I
AESCULAP® instrument oil for lubrication of
links, locks, etc. prior to sterilization.

Contents: 50 ml



JG600	

STERILIT® I – including 6 spraying nozzles
AESCULAP® oil spray for lubrication of
links, locks, etc. prior to sterilization.

Contents: 300 ml
Order unit: Pack of 6



JG601	

Eloxal cleaner
for cleaning and care of sterile container
surfaces.

Contents: 300 ml

LABELS, BAR CODE LABELS



IC-V004

Roll of labels, double self-adhesive, outward rolled, without indicator, for cutting tool.

Length 70 m (approx. 2,000 labels 35 mm high), width 75 mm, roll core diameter 3", order unit (ST)



IC-V001

Roll of labels, double self-adhesive, outward roll, with process indicator for steam sterilization acc. to EN ISO 11140-1 type 1, for cutting instruments.

Length 70 m (approx. 2,000 labels 35 mm high), width 77 mm, order unit (ST)



IC-V002

Individual labels, double self-adhesive, outward rolled, without indicator, for dispenser sensor.


Label height 35 mm, label width 75 mm, roll core diameter 3", order unit (ST)



IC-V005

Individual labels, double self-adhesive, outward rolled, for dispenser sensor.

Label height 35 mm, label width 75 mm, roll core diameter 3", order unit (ST)



IC-V003

Thermotransfer ribbon, wax, inside print.

Length 360 m, width 76.5 mm, core diameter 1", order unit (ST)



IC-V008

Thermotransfer ribbon, wax, outside print.

Length 300 m, width 80 mm, core diameter 1", order unit (ST)

CONSUMABLES

LABELS, PRINTER ACCESSORIES



IC-V012

Individual labels, double side self adhesive, outside wound, with process indicator, with EN ISO 11140-1 type 1, for cutting tool

1.500 labels perforated, label height 35 mm, width 78 mm; core diameter 3"



IC-V013

Endless labels, single side self adhesive, outside wound, with process indicator for steam sterilization in compliance with EN ISO 11140-1 type 1, for cutting tool

Length 70 m (approx. 2000 labels at a height of 35 mm); width 77 mm; core diameter 3"



IC-V017

Tag label, special foil, triple-layer, white

Outer format 75 x 265 mm
Order unit (PAK): Pack of 500

TROLLEYS

TROLLEYS



Outside dim.

JF803 1030 x 630 x **1250**

Shelf cart, two wheels with immobilizing brake.
Admissible total weight: 200 KG, uniformly distributed.

1 segment for 3 sterile containers up to 280 mm high
2 segments for 6 sterile containers up to 165 mm high




Outside dim.

JF900 1100 x 680 x **1300**

Cupboard cart - with wing doors for protection from dust. Two wheels with immobilization brake.
Admissible total weight: 200 KG, uniformly distributed.

1 segment for 3 sterile containers up to 280 mm high
2 segments for 6 sterile containers up to 165 mm high



Outside dim.

JF901 770 x 690 x **1300**

Cupboard cart - with wing doors for protection from dust. Two wheels with immobilization brake.
Admissible total weight: 200 KG, uniformly distributed.

1 segment for 3 sterile containers up to 280 mm high
1 segment for 6 sterile containers up to 165 mm high



Outside dim.

JF791R 575 x 290 x **16**

Slide-in shelf - for storing individually packed sterile accessories and small instrument sets

Fitting in shelf cart JF803, JF900 und JF901



	Outside dim.
JF902	1030 x 600 x 1250

Shelf cart - Two wheels with immobilization brake.
Three full-length storage surfaces, not adjustable.
Admissible total weight: 200 KG, uniformly distributed.

For sterile containers up to 280 mm high.



	Outside dim.
JF903	1100 x 680 x 1300

Cupboard cart - with wing doors for protection from dust. Two wheels with immobilization brake.
Three full-length storage surfaces, not adjustable.
Admissible total weight: 200 KG, uniformly distributed.

For sterile containers up to 280 mm high.



	Outside dim.
JF793	600 x 340 x 1180

Shelf cart - Mobile.
Storage shelves are not adjustable. Admissible total weight: 100 KG, uniformly distributed.

1 segment for sterile containers up to 280 mm high
3 segments for sterile containers up to 155 mm high

PREP TABLE



	Outside dim.
JF890R	685 x 685 x 800

Sterile prep table for sterile containers

- Table top 685 x 685 mm, working height 800 mm
- Storage rails for lids
- Impact protection wall deflectors
- Mobile, 2 wheels with immobilization brake.

Admissible total weight: 80 KG, uniformly distributed.



	Outside dim.
JF889R	685 x 425 x 800

Sterile prep table for sterile containers

- Table top 685 x 425 mm, working height 800 mm
- Storage rails for lids
- Impact protection wall deflectors
- Mobile, 2 wheels with immobilization brake.

Admissible total weight: 80 KG, uniformly distributed.

DISPOSAL CART



	Outside dim.
JF820	760 x 397 x 900

Disposal cart for containers

- 2 storage surfaces
- Working height 900 mm
- Mobile, 2 wheels with immobilization brake

Admissible total weight: 80 KG, uniformly distributed.

INDEX

ARTICLE NO.	PAGE	ARTICLE NO.	PAGE	ARTICLE NO.	PAGE
GB459R	81	JF110R	58	JF289R	62
JG301R	81	JF111R	55, 57	JF343	81
JG303R	81	JF112R	55, 57	JF346	81
IC-V001	105	JF113R	55, 57	JF428R	65
IC-V002	105	JF114R	55, 57	JF429R	65
IC-V003	105	JF117R	58	JF431R	64
IC-V004	105	JF120R	67	JF432R	64
IC-V005	105	JF145R	61	JF433R	64
IC-V006	95	JF146R	61	JF434R	65
IC-V008	105	JF147R	61	JF435R	46, 65
IC-V012	106	JF148R	61	JF436R	65
IC-V013	106	JF149R	61	JF481	101
IC-V017	106	JF150R	61	JF484R	97
		JF155R	61	JF509R	97
		JF156R	61	JF715R	87
		JF157R	61	JF791R	108
JB112R	60	JF158R	61	JF793	109
JB113R	60	JF159R	61	JF803	108
JB114R	60	JF166	46, 101	JF820	110
JB212R	60	JF167	47, 101	JF889R	110
JB213R	60	JF210R	58	JF890R	110
JB214R	60	JF211R	57	JF900	108
JB222R	60	JF212R	57	JF901	108
JB223R	60	JF213R	57	JF902	109
JB224R	60	JF214R	57	JF903	109
JB252R	60	JF217R	58	JF905R	89
JB253R	60	JF221R	57	JF907R	89
JB254R	60	JF222R	57	JF908R	89
JC112R	60	JF223R	57	JF909R	89
JC113R	60	JF224R	57	JF921R	90
JC114R	60	JF227R	58	JF922R	90
JC212R	60	JF232R	48	JF923R	90
JC213R	60	JF236R	48	JF932	82
JC214R	60	JF250R	58	JF933	48
JC222R	60	JF251R	54, 57	JF934	82
JC223R	60	JF252R	54, 57	JF938	82
JC224R	60	JF253R	54, 57	JF939	82
JC252R	60	JF254R	54, 57	JF940	82
JC253R	60	JF257R	58	JF941	82
JC254R	60	JF264R	62	JF944	82
JF066	101	JF282R	62	JF945	82

ARTICLE NO.	PAGE	ARTICLE NO.	PAGE	ARTICLE NO.	PAGE
JF947	82	JG328	77	JG395	79
JF948	82	JG329	77	JG396	78
JF949	82	JG330	78	JG397	78
JG111R	57	JG331	78	JG398	78
JG112R	57	JG332	78	JG399	80
JG113R	57	JG333	77	JG400	79
JG114R	57	JG334	77	JG401	80
JG211R	57	JG335	78	JG487R	64
JG212R	57	JG336	78	JG488R	64
JG213R	57	JG337	78	JG598	104
JG214R	57	JG340	77	JG600	104
JG221R	57	JG341	77	JG601	104
JG222R	57	JG342	77	JG616B	96
JG223R	57	JG343	77	JG616U	96
JG224R	57	JG344	77	JG617B	96
JG251R	57	JG352R	77	JG617U	96
JG252R	57	JG353R	77	JG625R	96
JG253R	57	JG354R	77	JG636R	96
JG254R	57	JG358	77	JG645B	94
JG285R	62	JG359	77	JG645U	94
JG300	81	JG360	77	JG646B	94
JG302	81	JG361	80	JG646U	94
JG304	76	JG367	78	JG647B	94
JG305	76	JG368	78	JG647U	94
JG306	76	JG369	78	JG648B	94
JG308	76	JG370	79	JG648U	94
JG309	76	JG371	79	JG650B	94
JG310	76	JG372	79	JG650U	94
JG312	76	JG380R	62	JG652B	94
JG313	76	JG381R	62	JG652U	94
JG314	76	JG383R	63	JG653B	94
JG316	76	JG384R	63	JG653U	94
JG317	76	JG386R	63	JG654B	94
JG318	76	JG387R	63	JG654U	94
JG321	76	JG388R	63	JG673B	97
JG322	76	JG389R	63	JG673U	97
JG323	76	JG390	80	JG675B	97
JG324	76	JG391	79	JG675U	97
JG325	77	JG392	80	JG682	102
JG326	77	JG393	80	JG683	102
JG327	76	JG394	79	JG687	102

INDEX

ARTICLE NO.	PAGE	ARTICLE NO.	PAGE	ARTICLE NO.	PAGE
JG690	97	JG790U	94	JK267R	49
JG691R	87	JG792B	94	JK268R	49
JG692R	87	JG792U	94	JK286	44
JG693R	87	JG793B	94	JK288	44
JG694R	87	JG793U	94	JK289	44
JG695R	87	JG794B	94	JK290	44
JG696R	88	JG794U	94	JK339	28, 29, 41
JG697R	88	JH112R	56	JK340	28 ff
JG698R	88	JH113R	56	JK341	28 ff
JG701R	88	JH114R	56	JK342	28 ff
JG702R	88	JH212R	56	JK344	28 ff
JG703R	88	JH213R	56	JK346	28 ff
JG706R	88	JH214R	56	JK355A	40
JG708R	88	JH222R	56	JK356A	40
JG730B	95	JH223R	56	JK357A	40
JG730U	95	JH224R	56	JK358A	40
JG731R	98	JH252R	56	JK359A	40
JG736R	95	JH253R	56	JK368	40
JG738	103	JH254R	56	JK369	40
JG739	103	JK020	46	JK375A	34
JG739W	103	JK060R	49	JK376A	34
JG740	103	JK062R	49	JK377A	34
JG743	102	JK067R	49	JK378A	34
JG744	102	JK068R	49	JK379A	34
JG745	102	JK086	100	JK385	34
JG746	102	JK089	100	JK386	34
JG747	102	JK090	100	JK387	34
JG748	102	JK091	46, 100	JK388	34
JG750	47, 102	JK092	100	JK389	34
JG751	46, 102	JK095	101	JK395	34
JG752	103	JK096	98	JK396	34
JG753	103	JK098	47, 98	JK397	34
JG785B	94	JK100	98	JK398	34
JG785U	94	JK170	43	JK399	34
JG786B	94	JK171	43	JK440	24 ff
JG786U	94	JK172	43	JK441	24 ff
JG787B	94	JK173	43	JK442	24 ff
JG787U	94	JK174	43	JK443	48
JG788B	94	JK187	43	JK444	24 ff
JG788U	94	JK188	43	JK446	24 ff
JG790B	94	JK262R	49	JK455A	36

ARTICLE NO. PAGE

JK456A	36
JK457A	36
JK458A	36
JK459A	36
JK469	36
JK475A	30
JK476A	30
JK477A	30
JK478A	30
JK479A	30
JK485	30
JK486	30
JK487	30
JK488	30
JK489	30
JK490	48
JK740	26 ff
JK741	26 ff
JK742	26 ff
JK744	26 ff
JK755A	38
JK756A	38
JK757A	38
JK758A	38
JK759A	38
JK769	38, 39
JK775A	32
JK776A	32
JK777A	32
JK778A	32
JK779A	32
JK785	32
JK786	32
JK787	32
JK788	32
JK789	32
JM020	47
JM021	47
JM174	43
JM188	43
JN021	46

ARTICLE NO. PAGE

JN086	44
JN088	44
JN089	44
JN090	44
JN091	44
JN092	44
JN094	44
JN095	44
JN096	44
JN187	43
JN188	43
JN292	44
JN294	44
JN295	44
JN296	44
JN340	34 ff
JN341	34 ff
JN342	34 ff
JN344	34 ff
JN346	34 ff
JN440	30 ff
JN441	30 ff
JN442	30 ff
JN443	48
JN444	30 ff
JN445	48
JN446	30 ff
JN740	32 ff
JN741	32 ff
JN742	32 ff
JN744	32 ff
JP050	98
JP055	98
JP101	24
JP102	24
JP103	24
JP104	24
JP105	24
JP111	26
JP112	26
JP113	26

ARTICLE NO. PAGE

JP114	26
JP115	26
JP121	28
JP122	28
JP123	28
JP124	28
JP125	28
JP131	28
JP132	28
JP133	28
JP134	28
JP135	28
PL960R	66
PL961R	48
PL961R	66
PL963R	66
PL964R	66

AESCULAP® – a B. Braun brand

Aesculap AG | Am Aesculap-Platz | 78532 Tuttlingen | Germany
Phone +49 7461 95-0 | Fax +49 7461 95-2600 | www.aesculap.com

The main product trademark "Aesculap" and the product trademarks "PRIMELine", "instacount", "Aesculap InOS" and "STERILIT I" are registered trademarks of Aesculap AG. "Sterrads 100 S", "Sterrads 200", "Sterrads NX" and "Sterrads 100 NX" are registered trademarks of ASP. "V-Pro 1" and "V-Pro 1 Plus" are registered trademarks of Steris. Subject to technical changes. All rights reserved. This brochure may only be used for the exclusive purpose of obtaining information about our products. Reproduction in any form partial or otherwise is not permitted.