External temporary pacing wire



Sutures



For the control and treatment of arrhythmias




Description

The Electrode Set is a temporary cardiac pacing wire used to treat arrhytmias during and after open heart surgery. It consists of a twisted stainless steel, multistrand wire partially insulated with a sheath of blue or white polyethylene.

Indication

 Temporary atrial and ventricular pacing and sensing during and after cardiac surgery




Advantages

- Exceptional strength with great flexibility and handling characteristics
- Multifilament construction for improved handling properties and reduced fatigue and fragmentation
- Polyethylene sheath facilitates extraction and provides highly efficient insulation for reliable pacing
- Electro-passive in tissue fluids
- Break-off needle for improved connection to pacemaker or extension cable
- High conductivity



Monitorization and pacing after CV procedure




For the control and treatment of arrhythmias



Product overview					
Structure	Twisted				
Colour	Metallic				
Chemical composition	Stainless steel				
Coating	Insulated with polyethylene				
Origin	Metal				
Sizes	USP 0 (3.5 metric) - USP 3/0 (2 metric)				
Type of absorption	Non-absorbable				
Indication	Temporary atrial and ventricular pacing and sensing				
	during and after cardiac surgery				
Sterilization	Ethylene oxide				

Needle-thread combination

Needle	Thread	USP (metric)								
length mm	length cm colour	6/0 (0.7)	5/0 (1)	4/0 (1.5)	3/0 (2)	2/0 (3)	0 (3.5)	1 (4)		
1/2 circle round bodied needle										
HR 13 ▼ GS 51v break-off	2 x 60 B&W				C0990008					
HR 17 ▼ GS 51v break-off	60 Blue				C0992054					
	2 x 60 B&W				C0992702					
HR 17 ▼ GS 65v break-off	60 Blue				C0992038					
	2 x 60 B&W				C0992703					
HR 26 ▼ GS 65v break-off	60 Blue				C0992046	C0992097	C0992100			
	2 x 60 Blue					C0992045				
	2 x 60 B&W				C0992704	C0992701				
HR 26 ▼GS 90v break-off	2 x 60 B&W				C0992720	C0992721	B0992722			
1/2 circle round bodied needle with short cutting point										
HRC 17	60 Blue				C0992026					
HRC 26	60 Blue				C0992041					



B. Braun Surgical SA | Carretera de Terrassa, 121 | 08191 Rubí | Spain Phone +34 93 5 86 62 00 | Fax +34 93 6 99 63 30 | www.bbraun.com

Aesculap AG | Am Aesculap-Platz | 78532 Tuttlingen | Germany Phone +49 7461 95-0 | Fax +49 7461 95-26 00 | www.aesculap.com Aesculap – a B. Braun company The main product trademark 'Aesculap' is an registered trademark of Aesculap AG. The main product trademark 'Steelex' is an registered trademark of B. Braun Melsungen AG.

Subject to technical changes. All rights reserved. This brochure may only be used for the exclusive purpose of obtaining information about our products. Reproduction in any form partial or otherwise is not permitted.

Brochure No. B28002