AESCULAP AG HISTOACRYL

Revision date: 07.07.2015

Revision No: 1,1

Product code: 00250-0012

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

HISTOACRYL

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

adhesive

Telefax:

1.3. Details of the supplier of the safety data sheet

Company name: AESCULAP AG
Street: Am AESCULAP-Platz
Place: D-78532 Tuttlingen/Donau
Telephone: +49 (0) 74 61 95-0

Responsible Department: Responsible for the safety data sheet: sds@gbk-ingelheim.de

+49 (0) 74 61 95-2600

1.4. Emergency telephone INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)

number: England and Wales: NHS Direct - 0845 4647; Scotland: NHS 24 - 08454 24 24

24

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture according to 1272/2008/EC

This mixture is not classified as hazardous according to Regulation (EC) No. 1272/2008.

2.2. Label elements

Special labelling of certain mixtures

EUH202 Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of

children.

Additional advice on labelling

According to the EC hazardous substance regulations in compliance with the EC medicine product regulations this product must not be labelled as a hazardous substance.

2.3. Other hazards

Bonds skin and eyes in seconds.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

One-component adhesive based on butylcyanoacrylate

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
6606-65-1	Enbucrilate			90 - 100 %
	229-552-2			

Full text of H and EUH phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove and wash contaminated clothing before re-use.

After inhalation

Move to fresh air in case of accidental inhalation of fumes from overheating or combustion.

Refer for medical treatment.

AESCULAP AG
HISTOACRYL

Revision date: 07.07.2015 Product code: 00250-0012 Revision No: 1,1

After contact with skin

Do not pull bonded skin apart. It may be gently peeled apart using a blunt object such as a spoon, preferably after soaking in warm soapy water.

Cyanoacrylates release heat during setting. In rare cases, a larger product quantity may develop enough heat to cause burns.

Burns should be treated normally after the adhesive has been removed from the skin.

If lips are accidentally stuck together apply warm water to the lips and encourage maximum wetting and pressure from saliva inside the mouth.

Peel or roll lips apart. Do not try to pull lips apart with direct opposing action.

After contact with eves

If the eye is bonded closed, release eyelashes with warm water by covering with a wet cotton pad. Cyanoacrylate will bond to eye protein and will cause periods of weeping which will help to debond the adhesive.

Keep eye covered until debonding is complete, usually within 1-3 days. Do not force eye open. Medical advice should be sought in case solid particles of cyanoacrylate are trapped behind the eyelid causing thus an abrasive damage.

After ingestion

Make sure that there is no airways obstruction The product will polymerise immediately in the mouth making it almost impossible to swallow it. Saliva will slowly separate the solidified product from the mouth (several hours).

4.2. Most important symptoms and effects, both acute and delayed

Bonds skin and eyes in seconds.

Vapours may irritate eyes and the respiratory system.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam, carbon dioxide (CO2), dry chemical, water-spray.

Unsuitable extinguishing media

Full water jet.

5.2. Special hazards arising from the substance or mixture

Fire may produce:

Carbon monoxide, carbon dioxide, sulphur oxides and nitrogen oxides (NOx).

5.3. Advice for firefighters

Use breathing apparatus with independent air supply.

Protective suit.

Additional information

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing.

Ensure adequate ventilation.

Use personal protective clothing.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

6.3. Methods and material for containment and cleaning up

Do not collect spills using clothes. Flood with water in order to terminate the polymerisation and scrape off floor. Hardened material can be disposed of as non-hazardous waste.

6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8).

Information for disposal see section 13.

AESCULAP AG HISTOACRYL

Revision date: 07.07.2015 Product code: 00250-0012 Revision No: 1,1

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Ventilation (moderate ventilation) is recommended when larger quantities are used, or where odour problems should become apparent (the odour limit is around 1-2ppm).

In order to minimise the risk of accidental skin or eye contact it is recommended to use automatic dispensing devices.

Keep containers dry and tightly closed to avoid moisture absorption and contamination.

Advice on protection against fire and explosion

No special protective measures against fire required.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a cool and shaded area. Keep only in original container.

Recommended storage temperature: < +22°C

Advice on storage compatibility

Incompatible with:

Water, amines, alcohols, oxidizing agents, Bases.

Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

adhesive

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Protective and hygiene measures

Wash hands before breaks and immediately after handling the product.

When using do not eat, drink or smoke.

Avoid contact with skin, eyes and clothing.

Take off immediately all contaminated clothing.

Eye/face protection

If used properly, no need to wear eye protection.

Avoid contact with the eyes.

Hand protection

If used properly, protective gloves are normally not required.

Avoid contact with the skin.

Respiratory protection

No personal respiratory protective equipment normally required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: Colourless
Odour: Ester-like

Changes in the physical state

Initial boiling point and boiling range: > 149 °C
Flash point: 80 - 93,4 °C

Lower explosion limits:n.d.Ignition temperature:n.d.Vapour pressure:< 0,3 hPa</td>

Print date: 07.07.2015 GB - EN Page 3 of 6

AESCULAP AG
HISTOACRYL

Revision date: 07.07.2015

Revision No: 1,1

Product code: 00250-0012

Density (at 20 °C): 1,00 - 1,02 g/cm³
Water solubility: polymerised

(at 20 °C)

Solubility in other solvents Acetone: Soluble

9.2. Other information

No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No decomposition if stored and applied as directed.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactions with oxidizing agents.

Rapid exothermic polymerisation will occur in the presence of water, amines, alkalis and alcohols.

10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.

Product is sensitive to light and moisture.

10.5. Incompatible materials

Water, amines, alcohols, oxidizing agents, Bases.

10.6. Hazardous decomposition products

Carbon monoxide (CO), carbon dioxide (CO2) and nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

LD50/oral/rat: > 5000 mg/kg LD50/dermal/rabbit: > 2000 mg/kg

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

Severe effects after repeated or prolonged exposure

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

Practical experience

Other observations

Bonds skin and eyes in seconds.

Vapours may irritate eyes and the respiratory system.

SECTION 12: Ecological information

12.1. Toxicity

Ecological data are not available.

12.2. Persistence and degradability

AESCULAP AG HISTOACRYL

Revision date: 07.07.2015 Product code: 00250-0012 Revision No: 1.1

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

12.6. Other adverse effects

No data available.

Further information

Do not flush into surface water or sanitary sewer system.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Where possible recycling is preferred to disposal.

Can be incinerated, when in compliance with local regulations.

Waste disposal number of waste from residues/unused products

WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except 180106

> kitchen and restaurant wastes not arising from immediate health care); wastes from natal care, diagnosis, treatment or prevention of disease in humans; chemicals consisting of or containing

dangerous substances

Classified as hazardous waste.

Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

SECTION 14: Transport information

Land transport (ADR/RID)

Other applicable information (land transport)

Not dangerous according the ADR/RID.

Marine transport (IMDG)

14.2. UN proper shipping name: Not classified as dangerous in the meaning of sea transport regulations.

Air transport (ICAO)

UN3334 14.1. UN number:

14.2. UN proper shipping name: AVIATION REGULATED LIQUID, N.O.S. (Cyanoacrylate ester)

14.3. Transport hazard class(es): 9 Hazard label:



Limited quantity Passenger: Y964 / 30 ka G

IATA-packing instructions - Passenger: 964 IATA-max. quantity - Passenger: 100 L IATA-packing instructions - Cargo: 964 IATA-max. quantity - Cargo: 220 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: nο

Print date: 07.07.2015 GB - EN Page 5 of 6

AESCULAP AG **HISTOACRYL**

Revision date: 07.07.2015 Product code: 00250-0012 Revision No: 1,1

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2004/42/EC (VOC):

< 3 %

National regulatory information

Water contaminating class (D):

- - not water contaminating

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

vPvB = Very Persistent and very Bio-accumulative

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

Relevant H- and EUH-phrases (Number and full text)

EUH202 Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of

children.

Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)